

# SECTION 1



## AIR CONDITIONERS

(Product Group - 100)

Aircommand	005 - 007
Dometic (including heating)	007 - 009
Truma	007 - 009

## PRIVACY ROOMS

(Product Group - 150)

Fiamma	010 - 011
Coast Awning Wall Kits	012 - 013
Orbit Annexes	014 - 016

## AWNINGS & ACCESSORIES

(Product Group - 200)

Fiamma Awnings	017 - 022
Fiamma Adapter Brackets	022
Awning Accessories	023 - 025, 030 - 033
Fiamma Awning Spare Parts	026 - 029
Floor Matting	034 - 035
Sunscreens	036 - 038
Carefree Awnings and Accessories	039 - 047

## BUILDING MATERIALS

(Product Group - 250)

Caravan Bed Frames	048
Canopy Lift Mechanisms	049
Pop Top & Camper Parts	050 - 051
Aluminium Extrusion & Mould Infills	051 - 053
Aluminium Cladding	053
Tape Foam	054
Lippert Slide Out Rooms	055 - 056

**100-00004****DOMETIC ALUMINIUM H-FRAME**

Distributes the weight of your Dometic B1900S, B2200, B3000 Plus or Truma Aventa air conditioner.

Cut Out Size: 400L x 400W (mm)


H-Frame Size: 2400L x 750W (mm)

**100-00082****UNIVERSAL AIR CONDITIONER GASKET KIT**

Acts as a seal between your air conditioner and your roof to limit rain from entering where the air conditioner has been installed. The kit includes a self adhesive square gasket [356L x 356W (mm)] and x2 self adhesive levelling pads.

**100-00006****ALUMINIUM H-FRAME**

Specifically designed to use when installing an Aircommand Sparrow onto pop tops or caravans.



**100-00100****AIRCOMMAND IBIS 3 3.1KW LOW PROFILE REVERSE CYCLE ROOF TOP A/C**

The low-profile Dometic Aircommand Ibis 3 represents an upgrade to the very popular Ibis model. With many outstanding features including an increased cooling capacity to 3.1kw and, more significantly, a 50 % increase in actual air flow for a faster, more uniform temperature control in your vehicle. While the earlier Ibis is renowned for its low operating noise, the Ibis 3's noise has been further reduced by 8 dB(A) on high fan. With reverse cycle cooling and heating, the Ibis 3 offers year-round comfort. A self-adjusting connection duct facilitates an easy "one-click" installation on a range of roof thicknesses. Convenience is boosted further by the remote control operation. With powerful air flow in four directions, the Ibis 3 achieves a comfortable climate with speed and efficiency.

**Specifications**

**Dimensions Product Depth:** 1120mm

**Dimensions Product Height:** 222mm

**Dimensions Product Width:** 848mm

**Net Weight:** 48kg

**Input Voltage (AC):** 240V

**Input Frequency:** 50Hz

**Cooling Capacity (ISO 5151):** 2700W

**Heating Capacity (ISO 5151):** 2400W

**100-00221****AIRCOMMAND HERON Q SILVER SPLIT SYSTEM A/C**

The compact Heron 3Q is a reverse cycle, split-system air conditioner with an easy to install condenser box, suitable for small to medium vehicles. Blower speed is easily controlled via the electronic LED control panel with remote control.

- > The air handler is installed in the overhead cupboard while the condenser unit is fitted from the outside of the van, providing fitting flexibility
- > Electronic LED control panel and fully functional remote control
- > Horizontal and vertical air adjustment
- > Reverse cycle cooling and heating
- > Must be connected and commissioned by a licensed air conditioning technician
- > Will operate on most premium brand inverter type generators (check with generator supplier for compatibility)
- > Highest capacity split system air conditioner designed for the larger pop top caravans

**Specifications**

**Dimensions Product Depth:** 250mm

**Dimensions Product Height:** 240mm

**Dimensions Product Width:** 380mm

**Net Weight:** 41kg

**Input Voltage (AC):** 240V

**Input Frequency:** 50Hz

**Cooling Capacity (ISO 5151):** 2300W

**Heating Capacity (ISO 5151):** 2300W



**100-00252****AIRCOMMAND MK2 CORMORANT 3.5KW  
REVERSE CYCLE ROOF TOP A/C**

The Dometic Cormorant has a very high capacity for an RV air conditioner. The unit boasts fully functional remote controls and has a full reverse cycle function with electronic defrost to allow operation in low temperatures. Created for the Australian market, it is an affordable and efficient reverse cycle roof top air conditioner that is packed full of features. Perfect for those who are interested in an economical form of heating with low ambient operating features.

- > Very high capacity for a caravan air conditioner
- > Boasts fully functional remote controls
- > Reverse cycle is highly efficient and provides one of the most economical forms of heating
- > Flip-down electronic LED control panel
- > Will operate on most premium brand inverter type generators (check with generator supplier)
- > Fitted with built in compressor protection against intermittent power supply
- > Designed to dehumidify the air

**Specifications**

**Dimensions Product Depth:** 985mm  
**Dimensions Product Height:** 360mm  
**Dimensions Product Width:** 670mm  
**Net Weight:** 40kg  
**Input Voltage (AC):** 240V  
**Input Frequency:** 50Hz  
**Cooling Capacity (ISO 5151):** 2800W  
**Heating Capacity (ISO 5151):** 2600W

**100-00264****AIRCOMMAND MK4 SPARROW 2.0KW  
REVERSE CYCLE A/C**

The Dometic Aircommand Sparrow reverse cycle heat pump roof top air conditioner is a lightweight rooftop style unit. From camper trailers to pop top caravans, the Sparrow will deliver cooling comfort and wonderful warmth in the winter months (it even features Aircommand's defrost function allowing the system to operate in temperatures as low as -5 °C). This lightweight unit comes with modern necessities such as a flip down climate control panel, remote control with sleep timer and dehumidify functionality, plus a super low profile. This air conditioner has unmatched efficiency and provides one of the most economical forms of heating. The Sparrow provides both heating and cooling as well as filtered and dehumidified air. Its lightweight design makes it suitable for a range of applications that the bigger units are unable to achieve.

- > Lightweight - suitable for smaller caravans and pop tops
- > Flip-down electronic LED control panel and remote control
- > Low profile rooftop unit with modern look
- > Three blower speeds
- > Automatic de-ice setting for low ambient heating operation at down to -5 °C
- > Will operate on most premium brand inverter type generators (check with generator supplier for compatibility)

**Specifications**

**Dimensions Product Depth:** 968mm  
**Dimensions Product Height:** 215mm  
**Dimensions Product Width:** 560mm  
**Net Weight:** 31kg  
**Input Voltage (AC):** 240V  
**Cooling Capacity (ISO 5151):** 1700W  
**Heating Capacity (ISO 5151):** 1700W



**100-00311****AIRCOMMAND EURO AIR CONDITIONER ADAPTOR**

The Aircommand Euro adaptor reduces the hole size from 400mm x 400mm to 360mm x 360mm, suitable for Aircommand Ibis, Cormorant and Sparrow air conditioners only.

**100-02024****DOMETIC FJ3200 FRESHJET AC+ADB. FJ3200-ADB-KIT**

One of the best motorhome and caravan air conditioners, the Dometic Freshjet 3200 has a powerful and dependable capacity for cooling and heating! The Freshjet 3200 can also be used as a duo unit for creating separate climate zones in larger vehicles. The air conditioner can even be adjusted to the roof thickness of the vehicle for perfect air conditioning.

- > Dimensions: 650 x 248 x 980 mm
- > Four air vents for even air distribution
- > Low-profile air distribution box of only 47 mm
- > High operating temperature range of 0°C to +52°C
- > Suitable for 400 x 400 mm roof openings

**Specifications**

**Dimensions Product Depth:** 980mm  
**Dimensions Product Height:** 248mm  
**Dimensions Product Width:** 650mm  
**Net Weight:** 37kg  
**Input Voltage (AC):** 220-240V  
**Cooling Capacity (ISO 5151):** 2800W  
**Heating Capacity (ISO 5151):** 3300W  
**Power Consumption - Cooling Mode (ISO 5151):** 1300W  
**Power Consumption - Heat Pump (ISO 5151):** Display 1360W

**100-02100****TRUMA AVENTA COMFORT REVERSE CYCLE AIR CONDITIONER**

The new Truma Aventa is quite powerful with a surprisingly slim and attractive plenum. It offers 1700W of heating power and a powerful 2400W of cooling capability. Its energy saving heat pump ensures a comfortable temperature inside your RV (provided the outside temperature is greater than 40°C), and it provides dehumidified, cleaned air thanks to its air filter system. The Truma Aventa cools the inside of your RV quickly and quietly. Its flexible air distribution system allows you to direct the air where it is mostly needed, thus cooling efficiently. It even has a sleep mode function; if this is selected, the evaporator and condenser fans will run slower, resulting in even quieter operation for a restful sleep. The plenum has LED lighting which can be dimmed if ambience is required. It is suitable for RVs up to 7.5m in external length and comes with a remote control with a programmable timer function. Dometic offers a 2 year warranty on the Truma Aventa Comfort.

**Specifications**

**Electrical Rating (single phase):** 240V, 50Hz  
**Nominal Cooling Capacity:** 2.4kW  
**Nominal Heating Capacity:** 1.7kW  
**Max Rated Current - Cooling:** 4.2A  
**Max Rated Current - Heating:** 3.7A  
**Max Air Delivery:** 400m<sup>3</sup>/hour  
**Installed Weight:** 33kg  
**Dimensions:** 248H x 523W x 1008L (mm)  
**Air Dimensions:** 46H x 670W x 523L (mm)  
**Operating Temperature Range:** +4°C to +40°C





**100-02306****DOMETIC HARRIER INVERTER ROOF TOP AC + ADB HARRIER INVERTER KIT**

The new Dometic Harrier Inverter raises the bar in efficient and powerful RV rooftop air conditioners. Featuring the first use of an Inverter compressor in an RV application, the Dometic Harrier Inverter can help eliminate start-up current issues when running from generators or when current supply is restricted.

The Dometic Harrier Inverter has a variable speed compressor that is extremely quiet, even when running at maximum speed and has a powerful 3.1kW cooling capacity (tested to ISO5151) making it the most powerful in its class.

The compressor in the Dometic Harrier Inverter slows down or speeds up in order to maintain the output as needed and in turn reduces energy consumption to the minimum required as well as noise and vibration. In addition to its efficiency, the new Dometic Harrier Inverter also has a number of useful comfort features including remote controlled oscillating vents and cold plasma air purification.

The innovative sleep mode function also reduces the compressor speed, in addition to the usual fan speeds, to further reduce the noise and vibration levels while sleeping.

In another unique feature, the Dometic Harrier Inverter is suitable to fit to 360x360mm and 400x400mm roof openings straight out of the box without the need for additional components or accessories.

**Quality Features**

- > Highly efficient inverter technology
- > Timer function and sleep mode
- > Oscillating outlet doors
- > Cold plasma air purification
- > Fitment to both 360 and 400 roof opening sizes possible
- > Low start-up current
- > Extremely quiet operation both inside and outside the RV

**Specifications**

**Best for Vehicle Length:** Up to 7m

**Electrical Rating:** 230V

**Nominal Compressor Capacity:** 3.7kW

**Cooling Capacity:** 3.1kW

**Heating Capacity:** 2.8kW

**Cooling Current Draw:** 6.5A

**Heating Current Draw:** 5.2A

**Operating Temperature Range:** -2°C - +52°C

**Airflow:** 649m<sup>3</sup>/h

**External Dimensions:** 750W x 280H x 1070D (mm)

**Internal Dimensions:** 500W x 66H x 520D (mm)

**Roof Opening:** 360W x 360/400H x 400D (mm)

**Roof Thickness:** 30 - 60mm

**Weight:** 45kg

**Number of Blower Speeds:** 3

**Remote Control:** Yes



## TRUMA AIR HEATING SYSTEM

The new compact Truma heater for motorhomes, caravans and vans.

The Truma VarioHeat eco is an extremely compact and lightweight heater of the latest generation. It is very powerful and heats your vehicle to the required temperature very quickly. Thanks to the various functions, you can always set the heater to your precise requirements.

- > Powerful caravan heater with two outputs levels
- > Automatic regulation of the heating output depending on the set temperature
- > Lightweight, requires little space
- > Even heat distribution in the vehicle via air outlets
- > Exact setting of the requires room temperature
- > High air throughput for very quick heating

**100-02130**

### TRUMA VARIOHEAT GAS AIR HEATING SYSTEM - VARIOHEAT-KIT

Includes a basis air kit and is a complete single outlet unit.



**100-02136**

### TRUMA VARIOHEAT ADDITIONAL SET WARM AIR

If a second outlet is required an additional ducting set can be purchased. A Truma VarioHeat with two outlets will consist of 100-02130 + 100-02136



**100-02062**

### DOMETIC DUCTING T/S SAPHIR AND CLIMASTER - 15M



**100-02064**

### DOMETIC DIESEL HEATER DUCTING 60MM T/S D2 - HEATER SOLD PER METRE



**100-02150**

### DOMETIC E6942 VER2 AIRTRONIC D2 DIESEL HEATER W/H MOD

With smooth controllability the AIRTRONIC D2 delivers 2.2 kW of hot blown air, automatically reducing the heat and the fan speed as the temperature rises for quiet operation and fuel economy.

#### Specifications

Weight: 2.7kg

Depth: 310mm

Width: 115mm

Height: 122mm

Electrical Power Consumption: 8 - 34 watts

Voltage: 12 or 24 volts



**100-02058**

### DOMETIC BLACK FUEL TANK FOR DIESEL HEATER

A slimline storage canister that holds up to 10L of diesel to run your Dometic heater. It has three bolting points to avoid spillage.

