



SECTION 3



CARAVAN ACCESSORIES

(Product Group - 400)

Scoot Guard and Dinnerware	110 - 111
Caravan Accessories	111 - 118
First Aid	118 - 119
Table Legs and Components	119 - 121
Picnic Tables	122 - 123
Roof Racks	124 - 125
Security Handles	126
Bed End and Storage Pockets	127
Tatkraft Accessories	128 - 129
ADCO RV Covers and Tyre Guards	130 - 132
Cleaning Products	132 - 133

CHASSIS EQUIPMENT

(Product Group - 450)

Trail-A-Mate	133 - 134
Jacks and Levels	134 - 139
Jockey Wheels and Accessories	140 - 142
Trailer Locks	142 - 143
Steps	143 - 145
Wheel Spats	146
Hub Kits and Accessories	147
Bearings	148 - 150
Level Indicators	151
Caravan Movers	152
Shackles and Couplings	153 - 155
Corner Steadies	155 - 156
Shackle Pins and Nuts	157
Tow Ball Scales	158
Purpleline Levellers and Security	159 - 162
Milenco Levellers	162 - 163
Stone Shields	164 - 165

PREMIER ONE FOAM GUN AND CARAVAN WASH

400-05310

PREMIER ONE FOAM GUN

The Premier One Foam Gun is designed to partner perfectly with Premier One Caravan Wash. Quickly cover your car, RV or trailer in a thick layer of clinging foam that effortlessly removes small build-ups of dust and dirt. The enhanced Foam Gun benefits from a leak proof hose lock male connection that is a perfect fit for the general garden female hose lock connectors, a significant improvement over other foam guns.

Features

- > Exceptional chemical resistance to acidic or caustic cleaners
- > Accurately mixes and sprays foaming chemicals
- > Foam generating wand creates a thick, clinging foam
- > Fan spray deflector included for disinfectants, etc.
- > Durable polymer mixing head with stainless steel screws
- > Quick-set dial selects mixing ratio



400-05340

PREMIER ONE CARAVAN WASH 5L BOTTLE

Premium caravan wash, works in conjunction with the Premier One Foam Gun. This high foaming, PH neutral and environmentally formula is perfect for any dirty RV.



400-05350

CAMCO RV WASH PODS - 6 PER PACK

Camco's easy to use RV Wash Drop-Ins help wash away years of built up dirt and grime on your RV. One convenient, premeasured drop-in dissolves in 11.3 liters of water that can then be used to scrub away at your RV. The re-sealable bag of 6 drop-ins is more lightweight than most liquid or gel cleaners, making it easy to take with you on the road. Cleaner is biodegradable, fragrance-, phosphate- and SLS-free and contains no added dyes.



TRAIL-A-MATE

450-00060

TRAIL A MATE HYDRAULIC JOCKEY WHEEL AND JACK KIT

Specifically designed for use with a caravan chassis, the Trail A Mate provides a unique way of making the hitching and unhitching of your caravan or camper trailer very easy (no matter how low your caravan or camper trailer might be). By removing the pin, the wheel can be replaced by the base plate and an adjustable clamp, thus turning the jockey wheel into a jack. The kit includes: hydraulic jack on shaft, lifting clamp, jockey wheel, base plate with pin, lifting handle, bracket and bars, and a comprehensive instruction guide.



450-00062

TRAIL A MATE SERVICE KIT

Assists with keeping your Trail A Mate performing as it should. Suitable for use on the Hydraulic Jockey Wheel and Jack Kit (part number 450-00060). Comes with instructions.



450-00070

TRAIL A MATE SIDE WINDER

Has a winding/crank handle to raise or lower your RV. It easily fits onto most caravans and trailers (500kg only). It can also double as a jockey wheel and is suitable for RVs up to 16' in length, (and that have a max GTM of 1600Kg).



450-00085**TRAIL A MATE MARK II
HYDRAULIC JACK ONLY**

A heavy duty jack designed for lifting large caravans, boats and trailers. It comes with a base that enables the Mark II to be used not only as a lifting device but also as a jack stand. Manufactured to Australian and New Zealand standard 2693/2007, it has a lift capacity of up to 35cm.

Working Load Limit: 1500kg

Aggregated Trailer Mass: 3500kg

* Does not include A-Frame Clamp

**450-00118****STABILISER JACK PADS**

Prevent your jacks or awning legs from sinking into grass or sand. Interlocking for convenient storage with a handy velcro strap. Built in handle for ease of use. Solidly constructed of a durable polypropylene with UV filters & comes in a set of 4.

**450-00089****TRAIL A MATE 60MM CLAMP FOR MARK
II HYDRAULIC JACK**

An optional clamp to enable you to use the Mark II Hydraulic Jack as a jockey wheel instead of having it permanently fixed to your RVs frame.

**JACK LEVELLING BASES****450-00120****ALKO BIG FOOT CARAVAN JACK**

Alko Big Foot Caravan Jack Steady "Foot" - Anti sinking bases for the bottom of jack legs, comes in a set of 4. 1.0: 80mm

**450-00102****COAST JACK PADS (80MM)**

Made with a durable plastic construction, Coast's Jack Pads are easy to attach. They have a universal fit & a unique channel that prevents ants from crawling up the stabilizer legs. Comes in a set of 4 & includes 4 anti-rattle sleeves.

Dimensions: 158L x 138W x 74H (mm)

**450-00121****ALKO SINGLE FOOT PIECE**

Single Foot Piece to Suit Alko Big Foot Caravan Jack Steady.

**450-00127****FIAMMA PLATES PRO (GREY)**

A set of four anti-sinking bases with four plastic pins to fasten to the RVs drop down legs. They can be a permanent fit if required, simply leave the pin in place.



450-00132**FIAMMA PLASTIC STAKKA JACKS (GREY)**

Made from UV-resistant plastic, these grey plastic jacks have an adjustable height (from 31 - 44 cm). Comes in a set of four jacks, each weighing 0.8kg. Each jack has a max load of 750kg.

**450-00152****RUBBER JOCKEY WHEEL RECEIVER**

Acts as a chock for your jockey wheel. Has raised edges to ensure your jockey wheel does not roll once it is in the stationary position.

**450-00160****ALUMINIUM STABILISING TRAILER JACK**

Features a heavy duty non-corroding, cast aluminium base with steel screw assembly & a permanent handle. Each jack has a weight capacity of 2721kg. Comes in a set of 4.

**CAMCO WHEEL CHOCKS**

Solidly constructed of durable hard plastic with UV inhibitors, these yellow chocks are ideal for caravans & motor homes. They are sold separately & are available in two sizes.

450-00210**WHEEL CHOCK**

Suitable for wheel diameters of up to 26" (66cm).

**450-00220****SUPER WHEEL CHOCK**

Suitable for wheel diameters of up to 29" (74cm).

**450-00232****CAMCO TRAILER AID PLUS**

Trailer-Aid is the fast, safe and easy way to change a trailer's flat tyre. Made from lightweight super strong polymer, Trailer-Aid is easy to travel with and makes changing your trailer tyre simple, even if you're alone. Trailer-Aid Plus is designed specifically for recreational trailers and gives an additional 1 inch lift. The extra 1 inch lift makes Trailer-Aid Plus handy when performing maintenance on brakes, wheels, and axles.


Specifications

Dimensions: 610L x 140W x 139.7H (mm)


Holds up to 6,800kg.

**FIAMMA LEVEL SYSTEMS****450-00260****MAGNUM LEVELS**

Lightweight blocks to level your RV that won't crack like wood. It has a self-locking overlapping system & has a max axle weight of 8t. Comes in a set of 2.

**450-00262****JUMBO LEVELS**

Ideal for RV's with twin tyres, the jumbo system also has the overlapping feature & has a max axle weight of 14t. Comes in a set of 2.



450-00272**LEVEL BAG**

Made of washable polyester, it has a comfortable carry belt making transporting your Level Up's & Level Up Jumbo's easy.

Dimensions: 185 x 245 x 650 (mm)

**450-00274****LEVEL PRO**

Now available in grey, the Level Pro is great for caravans or trailers with small wheels (up to 145mm tread width). Made from HDPE that is also UV-resistant, they have a max axle weight of 5t. They can also be stacked on top of each other if the need for extra height arises. Comes in a set of 2.

Weight: 0.8kg each

**450-00276****LEVEL-UP RAMPS**

Fiamma's bestselling ramps are now available in grey. They are still lightweight, strong and anticorrosive, making these the best levelling choice for your RV. The Level Up has 3 levels with a ridged surface to grip the tyres in place. They have a max axle weight of 5t and come in a set of 2.

Weight: 1.45kg each

**450-00278****ANTI-SLIP PLATE**

Now available in grey, these anti-slip plates lock onto a Fiamma ramp to provide extra grip for your RV tyres. It is especially handy on paved surfaces. Weighs just 100g and is available as a set of 2.

Dimensions: 100W x 160L (mm)

**450-00279****FIAMMA CHOCKS FOR FIAMMA LEVELS (GREY)**

Sold in pairs, chocks are used with Level Ups, Level Pros or Level Magnums to secure the wheels during long stopovers. They come with steel hooks and are solidly made from UV-resistant polyethylene.

**450-00280****FIAMMA LEVEL BAG S**

A smaller version of the Level Bag (part number 450-00272), the Level Bag S is suitable for use with Level Pros and Level Magnums.

Dimensions: 150H x 220W x 570L (mm)



EXPLORE LEVELLING SYSTEM

450-00390**HAIGH DUAL WHEEL CHOCK N'LOCK**

The Explore™ Chock 'n Lock is a revolutionary Australian Made and Owned innovation that locks, chocks, and stabilises dual axle caravans and trailers. Using the latest in injection-moulding technology, the Chock 'n Lock is made from a heavily reinforced plastic composite that is durable enough to last a lifetime. With a simple turn of a wheel, the Chock 'n Lock stabilises the suspension and eliminates the sway and movement commonly associated with dual axle caravans and trailers. The ergonomic turning mechanism allows for easy fitment by all ages without causing hand strain, and unlike similar products that require crawling underneath the trailer to fit, this can be installed from a kneeling or comfortable sitting position. The Chock 'n Lock is an ideal investment for anyone who owns a dual axle caravan or trailer. Two extension plates are included and can be added or removed depending on wheel spacing, with additional pairs sold separately.

Suitable for use on most dual axle platforms, including caravans, boats, trailers, and horse floats.

- > Easy to install
- > Heavy duty construction
- > Ergonomic turning mechanism
- > Integrated locking cap (padlock not included)
- > Expandable with extension plates (2x included, additional pairs sold separately)
- > Can be fitted both vertically or horizontally depending on the size and profile of your tyres

**450-00396****EXPLORE CVL2 LEVELLING RAMP (PAIR)**

Made in Australia and specifically designed for tandem axle trailers, these levellers have a 5 tonne capacity. Super strong, they're able to raise a wheel up to 100mm (without the use of a jockey wheel)! They feature an extra wide tread to cater for tyre widths of up to 250mm and are lightweight at just 1.8kg each.

Dimensions: 140H x 570L x 250W (mm)

**450-00398****WHEEL CHOCKS TO SUIT CVL2 LEVELLING RAMPS****450-00399****STORAGE BAGS FOR CVL2 LEVELLING RAMPS**

Designed specifically for the CVL2 range, the storage bag is made from tough polyester with a PVC backing. Each bag will fit a set of CVL2 levellers and a set of wheel chocks.



FROLI LEVELLERS



For over 50 years Froli has been at the forefront of design, engineering and innovation. As a leader in the development and manufacturing of high quality products, you can rest assured that Froli caravan accessories will be a unique addition to your RV.

Manufactured in Germany, Froli meets the highest European standards and offers true German design and styling.

450-07000**FROLI MAXI WHEEL RAMP LEVELLER**

The Maxi-wedge ensures optimal height compensation on slopes and even surfaces. Suitable for twin axle vehicles.


Dimensions: 500 x 212 x 120mm

Tested Support Load: 5,000kg per wheel

Weight: Approximately 1.95kg

Colour: Black

- > Set of two
- > Carrying case

**FROLI MINI ROUND LEVELLERS**

Froli's innovative round wheel leveller can do more than any other! The Mini Round Leveller from Froli provides continuously variable height adjustment up to a maximum of 8cm. Perfect load distribution, the round wedge cannot slip away and no other backup is required for this leveller!

450-07002**FROLI MINI ROUND WHEEL LEVELLER**

Dimensions: 385 x 200 x 80mm

Tested Trailer Weight:

1250kg per wheel

Weight: Approx. 1.1kg

Colour: Black

- > Set of two
- > Carrying case

**450-07004****FROLI STANDARD ROUND WHEEL LEVELLER**

Dimensions: 474 x 230 x 100mm


Tested Trailer Weight:

1250kg per wheel

Weight: Approx. 1.65kg

Colour: Black

- > Set of 2
- > Carrying case



450-07006**FROLI STANDARD WHEEL LEVELLER**

The standard levelling ramp from Froli is perfect for most RVs and even suits dual axle vehicles.

Dimensions: 450 x 160 x 80mm

Tested Trailer Weight:

2000kg per wheel

Weight: Approx. 1.0kg

Colour: Black

> Set of two

**450-07012****FROLI DETACHABLE WHEEL LEVELLER 4-PIECE SET**

A four piece detachable levelling kit! The levelling ramp can be split into two pieces in order to adjust to the required height. Also comes with a wheel chock and anti-slip plate.

Dimensions Compensating Wedge: 500 x 180 x 195mm

Tested Trailer Weight: 2000kg per wheel

Weight: Approximately 1.84kg

**450-07008****FROLI STANDARD WHEEL RAMP LEVELLER 3-PIECE SET**

Three piece levelling set includes a standard levelling ramp, anti-slip plate and a wheel chock.

Dimensions: 450 x 160 x 80mm (standard wedge)

Tested Trailer Weight: 2000kg per wheel

Weight: Approximately 1.0kg

**450-07014****FROLI TRI WHEEL LEVELLER**

The Froli Tri Wheel Leveller is a stepped levelling ramp that offers three heights for simple levelling; 45mm, 75mm and 105mm. Comes with a stylish carry bag.

Dimensions: 530 x 173 x 130mm

Tested Trailer Weight: 2000kg per wheel

Weight: Approximately 1.8kg

Colour: Black

> Set of 2

**450-07010****FROLI DETACHABLE WHEEL LEVELLER WITH THREE ADJUSTABLE HEIGHTS**

This two piece adjustable levelling ramp makes it simple to level your RV. It detaches into two pieces that allow for the three heights, 40mm, 55mm and 95mm. Three levelling ramps in one!

Dimensions: 600 x 180 x 95mm

Tested Trailer Weight: 2000kg per wheel

Weight: Approximately 1.84kg

Colour: Black

> Set of 2



ALKO JOCKEY WHEELS**450-00600****ALKO 6" JOCKEY WHEEL**

Has a standard clamp with a solid rubber tyre (150D x 50W mm).

**450-00610****ALKO 6" JOCKEY WHEEL**

Has a locking pin swivel bracket with a rubber tyre (150D x 50W mm).

**450-00620****ALKO 8" JOCKEY WHEEL**

Has a standard clamp with a rubber tyre (200mm diameter) & steel rim.

**450-00632****ALKO 10" JOCKEY WHEEL**

Has a standard clamp with a solid tyre (250mm diameter), suitable for softer ground thanks to the larger wheel diameter.

**450-00642****ALKO 10" JOCKEY WHEEL**

has a large locking pin swivel bracket with a solid tyre (250mm diameter).

**450-00644****ALKO THRUST BEARING**

Used on 6", 8" and 10" Alko jockey wheels and power mover.

**450-00646****ALKO JOCKEY WHEEL HANDLE**

Suitable for pin-type handles.

**450-00660****ALKO POWER MOVER**

Has a ratchet mechanism for added convenience & a solid tyre (250mm diameter).

**450-00684****ALKO 6" SOLID RUBBER WHEEL****450-00686****ALKO 8" SOLID TYRE WHEEL**

450-00698**SOLID RUBBER TWIN JOCKEY WHEEL (WITH CLAMP)**

Perfect for using in combination with your caravan or trailer mover and is suitable for use with single axle and dual axle trailers. The benefit of using the Twin Jockey Wheel is that it does not dig in or jam up on surfaces like some single jockey wheels. It greatly improves the operation on a single and dual axle caravan/ trailer mover regardless of the caravan/ trailer weight. The Twin Jockey Wheel has a heavy duty clamp and the wheels are 10" solid rubber. The tyre has a steel centre with a bronze bush bore while the jockey wheel itself is zinc plated to deter rust.

Specifications

Weight: 17Kg

Lift Capacity: 225mm


Static Load Capacity: 1000Kg

**JOCKEY WHEEL CLAMPS****450-00700****STANDARD BOLT ON CLAMP**

(no swivel function) to suit jockey wheel.

**450-00702****ADJUSTABLE SWIVEL JOCKEY WHEEL BRACKET**

Has a locking pin swivel function (150H x 210W mm).

**WINDER HANDLES****450-00711****SLOTTED STYLE WINDER HANDLE TO SUIT REAR JACKS**

Length: 700mm (including the handle)

**450-00712****HEX STYLE WINDER HANDLE TO SUIT CORNER JACKS**

Length: 800mm (including the handle)

**450-00714****HEX WINDER HANDLE**

Length: 1150mm (including the handle)

**ARK JOCKEY WHEELS****450-00720****150MM (6") STANDARD WHEEL**

Has a locking swivel u-bracket & a 350kg load capacity.

Maximum Extension: 250mm

**450-00722****200MM (8") STEEL RIM RUBBER WHEEL**

Has a locking swivel u-bracket & a 350kg load capacity.

Maximum Extension: 250mm



450-00742**ARK XO SERIES JOCKEY WHEEL**

Ark's new Extreme Off road Series (XO) Jockey Wheel is probably the toughest, most advanced Jockey Wheel in Australia today. But not only is it tough, it's also versatile - with multiple height options, a highly maneuverable trailing yoke design and 5 different yoke locking positions.

- > Magnetic, removable, side-winding handle
- > Heavy duty body with 750kg rating
- > 4 x adjustable height positions
- > Heavy duty swivel clamp
- > Dual wheel with sealed bearings & off road tread
- > Rust resistant finish

**450-00750****6" SOLID RUBBER WHEEL TO SUIT JOCKEY WHEEL**

Wheel diameter: 140mm

Tread width: 40mm

**450-00910****TRAILER COP ANTI-THEFT COUPLING LOCK**

The ball type anti-theft trailer lock that prevents thieves from towing your trailer away by expanding in your coupler. Suitable for use on 50mm couplers, it takes just a minute to install.

**450-00924****KOVIX TRAILER HEAVY DUTY PADLOCK**

Built for maximum security, this unique alarmed trailer lock is the ultimate deterrent to would-be thieves. Designed by Kovix Australia the heavy duty KTR-18 alarmed trailer lock is made from 304 grade stainless steel. Resistant to impact, drilling and cutting this ultra-strong trailer lock features an 18mm pin with an anti-cutting sleeve.

This smart lock's alarm can be turned on or off and is triggered by a motion sensor that activates the 120dB alarm for 10 seconds. The lock is rust resistant and its electronics are water proof so it can be left out in the elements. Built to suit standard 50mm ball hitches, Off Road D035 and Treg-style block hitches, the KTR-18 is as versatile and smart as it is tough.

Features

- > Anti-Impact and Drill Resistant
- > Weatherproof Electronics (IP67)
- > Removable Ball to Fit a Wide Range of Hitches
 - (H 100mm x W 155mm x D 35mm - Inside W 80mm)
- > Built in Loud Alarm - Sounds at 120dB
- > Long Life 3V Lithium Battery Included
- > Double Locking Pin System

**450-00926****MILENCO AUSTRALIAN HITCHLOCK WITH CHAIN LOCK**

- > Tough and dependable steel
- > Clamps over tow ball and secured chains
- > Complete with 3 Keys



450-00931**DUAL TRAILER COUPLING LOCK HEAVY DUTY - INC. PADLOCK**

Secure your parked caravan to the towing vehicle and secure it even when its not attached to a vehicle,

Features

- > Heavy duty coupling lock
- > Works when hitched and unhitched.
- > Simple and easy to use
- > Supplied with high-quality padlock
- > Suits Australian 50mm ball couplings
- > Suitable for use with caravans, trailers and horse floats

**450-01050****CAMCO FOLDING STEP**

Holds up to 136kg (300lbs) & has a large non-slip surface. Folds flat for easy storage (grey).

**450-01070****MGI MILENCO GIANT SINGLE STEP - 200KG RATED**

Features a giant tread area that strictly meets safety guidelines to allow a safe carry load of 200kg, skid resistance, and a tread that is non-slip, even when wet. Produced using 100% recycled plastic.

Dimensions:

Tread Size: 455mm x 363mm
Height: 265mm
Weight: 1.7kg

**450-01072****MGI MILENCO DOUBLE STEP - 200KG RATED**

Emphasizes safety with non-slip tread and highly skid-resistant upper tread surface for maximum safety in both wet and dry conditions. Fitted with four rubber feet to prevent skidding on asphalt and peg holes for use on grass.

Dimensions:

Tread Size: 360mm x 220mm
Height: 185mm x 365mm
Weight: 2.9kg

**450-01100****COAST ALUMINIUM FOLDING STEP**

Made from sturdy aluminium, this step is extra wide for stability and safety. It has non-skid strips on the tread to ensure no nasty slips. The legs fold out/ in making it extra convenient whilst travelling. Rubber feet not only ensure that the step does not move while being used but it also serves to protect the surface the step is being used on.

Weight Rating: 150kg

**450-01400****SINGLE PULL-OUT CARAVAN STEP**

Zinc plated steel
Step Width: 514mm
Tread Depth: 180mm
Closed Dimensions: 300D x 530W x 180H (mm)
Mounting plate to top of step: 145mm



450-01410**DOUBLE PULL-OUT CARAVAN STEP**

Zinc plated steel.

Bottom Step Width: 520mm

Bottom Step Tread Depth: 180mm

Top Step Width: 510mm

Top Step Tread Depth: 305mm


Closed Dimensions: 380D x 590w X 310H (mm)

Mounting plate to top of step: 180mm


Mounting plate to the top of bottom step: 305mm

**450-01530****FIAMMA PLASTIC STEP SMALL**


Step in & out of your RV safely! Has a non-skid surface & is made from UV resistant HD polyethylene. Holds up to 150kg & comes in grey.

**450-01552****FIAMMA MAGNUM PLASTIC STEP**

An improved version of Fiamma's best selling step. Made from UV resistant HD polyethylene for great stability & strength. Comes in grey & can hold up to 200kg.

**450-01570****FIAMMA CLEAN STEP**

Suitable for use on electric or manual steps, it helps to keep your RV clean. Made from durable plastic it has a grass appearance & is supplied with springs for installation. Can be adapted to fit steps from: 380 x 400mm up to 450 x 400mm. Available in green.

**450-01990****WHEEL NUT**

Wheel nut for alloy rim

Dimensions: 1/2" thread diameter with a 2mm pitch

**450-02012****LIPPERT SPARE TYRE WINCH WITH OFFSET CABLE**

The Lippert Components Spare Tyre Winch is the perfect bolt-on solution for your spare tyre carrier. Simply bolt on the winch (hardware not included) under your trailer or RV. The offset cable allows for a more compact design which better utilizes leverage.

- > Spare tyre winch bolts on to chassis/frame for easy and convenient access to spare tyre.
- > Using a crank handle (not included), spare tyre can be stored underneath chassis
- > Mounting hardware not included
- > Can be used on RVs, trailers and trucks with enough clearance to store additional spare tyre.



450-02020**COAST SPARE WHEEL CARRIER 6 STUD SILVER**

Coast to Coast very own Spare Wheel Carrier to suit popular 4, 5 and 6 stud wheels. Ideal for caravans, campers, horse floats and all trailers.

Features

- > Heavy duty galvanized spare wheel mount
- > Suits 4, 5, and 6 stud wheels
- > Comes ready for easy installation and simple use
- > Designed to fit 4 and 5 inch A frames.

**NUOVA MAPA ELECTRIC STEPS**

This series of innovative electrical steps are made from galvanised steel for durability & stability. The footrests are made with anodized aluminium (so they won't rust) & are spaced at a comfortable height for your convenience.

450-02100**12V SINGLE ELECTRIC STEP**

Step Width: 575mm
Step Tread Depth: 210mm
Step Weight: 7.8kg
Step to Mounting Plate: 197mm

**450-02110****12V DOUBLE ELECTRIC STEP**

Step Width: 575mm,
Step Tread Depth: 210mm
Step Weight: 11.7kg
Bottom Step to Top Step: 200mm Top
Step to Mounting Plate: 197mm
Width from center hole to center hole on the mounting plate: 530mm

**450-02120****WIRING HARNESS WITH AUTO CLOSE ON IGNITION**

If you forget to close your step, on ignition of your vehicle, the step will close automatically.

**450-02130****STANDARD WIRING HARNESS WITH SWITCH**

A standard in/ out switch which can be installed near the entry to engage or disengage the step.

**450-02140****MANUAL SINGLE STEP**

Made with the same quality and precision as the electric steps, the Manual Single Step holds up to 200kg. It requires minimal effort to open or close as it is spring loaded.

Step Width: 560mm
Step Weight: 5.5kg
Step to Mounting Plate: 197mm

**450-02150****SPRINGS FOR MANUAL STEP**

Sold in pairs.

**450-02300****RV WRAP AROUND STEP RUG (GREY)**

Adjusts to fit almost any RV step. Just wrap it around your existing step & hook springs into the holes that fit your step. No screws, glues or tools needed! Helps to keep your RV clean.



WHEEL SPATS

450-01600**VISCOUNT OLD TYPE WHITE WHEEL SPATS**

Single (sold per pair)

**450-01640****VISCOUNT NEW TYPE LOW PROFILE WHITE WHEEL SPATS**

Single (sold per pair)

**450-01690****JAYCO STARCRAFT SINGLE WHEEL SPAT**

White (sold singularly)

**450-01692****JAYCO WESTPORT SINGLE WHEEL SPAT**

Metallic blue (sold singularly)

**450-01694****JAYCO EARLY HERITAGE DOUBLE WHEEL SPAT**

White (sold singularly)

**450-01696****JAYCO WESTPORT DOUBLE WHEEL SPAT**

Metallic blue

**450-01698****JAYCO FREEDOM SINGLE WHEEL SPAT**

White (sold singularly)

**450-01699****JAYCO LATE MODEL HERITAGE DOUBLE WHEEL SPAT**

White (sold singularly)

**450-02498****JERRY CAN HOLDER**

Has a lockable chain.

**450-02500****ADJUSTABLE JERRY CAN HOLDER**

Designed to fit many jerry can sizes & has an anti-theft adjustable locking bar.



450-02510**WELD ON JERRY CAN HOLDER**

An economical solution to jerry can storage, this metal strap type holder is zinc plated to help minimise the occurrence of rust.

Dimensions: 370W x 180L x 295D (mm) Weight: 3kg

**450-03010****BRAKE MAGNET KIT**

Electric Brake Magnet Oval Type - comes in a box complete with springs, suits DEXTER 10" x 2.25" / Hayes 10" x 2.25" & 1.625" (after 1987 up to 1993)

**ELECTRIC DRUM BRAKES**

Electric drum brakes are an efficient & reliable braking system that provides smooth braking when used by a vehicle mounted with a brake controller.

450-03030**ALKO 10" X 2-1/4" RIGHT HAND ELECTRIC DRUM BRAKE**

With park brake provision.

**450-03032****ALKO 10" X 2-1/4" LEFT HAND ELECTRIC DRUM BRAKE**

With park brake provision.



ELECTRIC HUB DRUMS

These hub drums are machined for slimline bearings. Note when replacing magnets, it is recommended that the inside face of the hub drum be re-machined or the magnet performance will be affected.

450-03034**ALKO 10" X 2-1/4" FORD 5 STUD PATTERN ELECTRIC HUB DRUM**

Machined for slimline bearings.

**450-03036****ALKO 10" X 2-1/4" LANDCRUISER 6 STUD PATTERN ELECTRIC HUB DRUM**

Machined for slimline bearings.

**450-03065****ALKO BOXED 10" BRAKE SHOE KIT**

Used to support and move the braking lining material, this electric brake shoe kit consists of two primary and two secondary brake shoes conveniently packaged in a box.

**BEARING KITS**

Bearings comprise of two parts, the cup which is pressed into the hub & the cone, this is the part that contains the rollers of the bearing. Bearings should always be replaced in pairs.

450-03069**ALKO PARALLEL BEARING KIT**

A Japanese caravan bearing kit, rated to 1600kg per pair. Always ensure that only quality studs and nuts are used, which are correct for the wheel selected. Comes in a skin pack.

**450-03070****ALKO SLIMLINE/FORD CARAVAN BEARING KIT (JAPANESE)****Slimline Components Include**

1x L68110 cup, 1x LM12710 cup, 1x L68149 & 1x LM12749 cone.

**450-03072****ALKO LM/HOLDEN TRAILER BEARING KIT (JAPANESE)****LM Components Include**

1x LM67010 cup, 1x LM11910 cup, 1x LM67048 cone, 1x LM11949 cone, 1x grease cap, 1x seal & 1x split pin



ELECTRIC DRUMS

Brake drums are selected by the drum diameter, the wheel drilling pattern and in the case of hub drums, the machining profile and appropriate bearings. It is important to select the appropriate brake capacity and seek advice on the correct axle machining profile and bearing configuration to carry and stop the load on the wheel to which it is fitted.

450-03084

**ALKO 10" X 2-1/4" LANDCRUISER
PARALLEL ELECTRICAL BRAKE DRUM**



450-03086

**ALKO 10" X 2-1/4" HOLDEN HT SLIMLINE
ELECTRIC BRAKE DRUM**



450-03088

**ALKO 10" X 2-1/4" HOLDEN HQ LM
SLIMLINE ELECTRIC BRAKE DRUM**



ARK BEARING KITS

450-03100

**MARINE BEARING KIT TO SUIT HOLDEN
TYPE BEARINGS**

4 Piece Blister Pack



450-03102

**MARINE BEARING KIT TO SUIT FORD
TYPE BEARINGS**

4 Piece Blister Pack



450-03110

**TRAILER BEARING KIT TO SUIT HOLDEN
TYPE BEARINGS**

5 Piece Blister Pack



450-03112

**TRAILER BEARING KIT TO SUIT FORD
TYPE BEARINGS**

5 Piece Blister Pack



BEARING SEALS

450-03120

**WATER PROOF BEARING SEAL TO SUIT
HOLDEN TYPE BEARING**



450-03122

**WATER PROOF BEARING SEAL TO SUIT
FORD TYPE BEARING**



450-03124**BEARING SEAL TO SUIT HOLDEN
STANDARD BEARING****450-03126****BEARING SEAL TO SUIT FORD
STANDARD BEARING****BEARING CONES****450-03128****BEARING TO SUIT HOLDEN 1-1/4" CONE**

For 39mm round or 40mm square axles.

**450-03130****BEARING TO SUIT FORD (SLIM LINE)
1-3/8" CONE**

For 45mm square axles.

**450-03132****BEARING TO SUIT HOLDEN 3/4" CONE**

For 39mm round or 40mm square trailer axles.

**450-03134****BEARING TO SUIT FORD (SLIM LINE)
7/8" CONE**

For 45mm square trailer axles.

**450-03504****TREG T BAR PIN AND LOCK**


- > Locks the trailer to the vehicle or locks the trailer when un-hitched.
- > Hardened 3/4" steel pin
- > Zinc plated for corrosion protection
- > Precision Zinc alloy screw pin lock with 1/4" pin and 2 keys.

**450-03506****TOW BALL SPANNER**

- > Tow Ball Sizes 33mm
- > Adj. Ball Mount Bolts 24mm
- > WDH Head Bolts
- > WDH Chain Bracket Bolts
- > D Shackle Pins

**450-03520****COUPLE - MATE REVERSING HITCH AID**

An easy to install device which makes hitching your caravan or trailer a breeze. The side arms 'guide' the trailer hitch towards the tow ball, thus preventing damage to the tow vehicle. Made from double dipped, zinc plated steel.



450-03530**COUPLE-MATE TREG PIN LOCK**

Featuring a latch lock with a screw lock for added security, the treg pin lock is used to lock the trailer onto your tow vehicle, or simply lock the trailer when left unattended. It has a 3/4" diameter for use with treg couplings. Note that the lock mechanism needs lubricant periodically to ensure correct operation.

**450-04006****SCREW ON LEVEL**

Screw-mounted level provides front-to-back or side-to-side levelling. Comes in a set of 2.

**450-04010****2-WAY PLASTIC TEE BUBBLE LEVEL**

Screw-mounted level, providing front to back or side to side levelling. Sold separately.

**450-04030****BULLSEYE MULTI-DIRECTIONAL LEVEL**

Round, dome-shaped level reads 360° at once.

**450-04032****CAMCO CURVED BALL LEVEL**

A screw-mounted level, with graduated markings for accurate front-to-back or side-to-side levelling. Comes in a set of 2.

**450-04100****EZYLEVEL CARAVAN LEVEL INDICATOR**

The Ezylevel is an electronic caravan/pop top levelling device that comprises of two components: a handheld receiver and a transmitter which requires permanent placement at a central spot inside your RV (usually inside the doorway or in the front boot). At the touch of a button, the Ezylevel will show you which side (front, back, left or right) needs to be raised, thus taking the guess work out of where to place your levelling ramps or whether or not to raise the jockey wheel. The receiver is easy to read thanks to the light indicators and it operates on x4 (two in the receiver and two in the transmitter) AA batteries, so there is no need to hardwire anything.

**450-04098****JAYCO MUD FLAP**

Sold singularly, these are a great way to minimise dirt splatter or simply to replace your Rvs current mud flaps. Dimensions: 300W x 405H (mm)



REICH ECO MOVE CONTROLS

Move your caravan or trailer with minimal effort - all at the touch of a button. Suitable for single & twin axle towable vehicles, the Reich Eco range does not affect suspension & can be fitted to either the front or back of the wheel. A roller is fitted to the Reich mover (which clamps onto the vehicles' chassis). When engaged, the roller turns the wheels & hence is capable of moving your caravan/ trailer in any direction you want it to go.

Some advantages of owning a Reich Eco Mover include:

Softstart & Softstop electronics facilitate precise movement & offer greater control on any ground (millimetre by millimetre) as well as quick & easy hitching & de-hitching of your caravan.

Move your caravan around any corner & to any site effortlessly, by remote control. At the touch of a button, you can singlehandedly move your caravan in any direction.

All parts are zinc-plated & powder coated for complete corrosion resistance. The motors & gearboxes are located inboard, protected from water, dirt and kerbs.

From a loose gravel pitch to a steep grassy slope, it enables your caravan to ascend gradients of up to 25% (for an Eco Single - based on a caravan weight of 1,200 kg) or 15% (for an Eco Twin - based on a caravan weight of 2,000 kg).



450-04540

ECO MOVER - SINGLE

An 'off-road' style Move Control, with a rugged blue metal body. Suitable for single axle caravans/ trailers & comes with a 2year limited warranty.

Current Consumption: 15A - 60A (maximum)

Drive: Two 12V DC electric motors, driving friction rollers.

Total Caravan Weight: 2000kg (maximum)

Speed: 1km/ hr (approx)

Weight: 33kg



450-04810

HEAVY DUTY BOLT ON JOCKEY WHEEL DOUBLE CLAMP

Heavy Duty Bolt on DOUBLE Clamp offers superior clamping force over other clamps available in the market. The Universal backing plate allows for easy fitment on 4", 5" or 6" chassis", no need for drilling or welding. Comes complete with bolts.



ARK XO EXTREME OFF ROAD COUPLING

Quick-hitch off road coupling. Suits all 50mm tow balls that comply with Australian Standards AS4177.2 except 50mm tow balls with a flat flange. No more switching hitches!

Choice of 2 ratings

- > 2 tonne for mechanical over-ride brake systems. Part No. 450-04900
- > 3.5 tonne for electric brake systems. Part No. ORXOF50 450-04902
- > Full off road articulation
- > No more switching hitches
- > Quick-hitch locking system
- > Fits 50mm tow balls that comply with Australian Standards AS4177.2 and don't have a flat flange
- > Complies to Australian standards AS4177.3
- > Strong fully cast steel parts

Whether you are looking to improve your off road capability, or just tired of constantly having to switch between an off road hitch and a standard ball hitch, then the Ark Extreme off road Coupling is for you!

450-04900

ARK XO EXTREME OFF ROAD COUPLING 2 TONNE



450-04902

ARK XO EXTREME OFF ROAD COUPLING 3.5 TONNE



SHACKLES

"The current standard applying to shackles is AS 2741-2002, however this standard does not specifically cover the use of rated shackles in an application such as attaching a trailer to a tow bar. This standard covers the use of shackles for lifting purposes.

The Caravan Industry Association of Australia's recommendation is that a shackle meeting the requirements of AS 2741-2002 be used to secure rated safety chains up to 3500kg capacity.

Suitable shackles have the following specifications:

- > Meet the requirements of AS 2741-2002
- > Shackle grade is "S" or "6"
- > Working load limit (WLL) is 1000kg
- > Shackle diameter is 10mm
- > Either "bow" or "dee" shackle design is suitable, although it is noted that the "bow" design provides greater angular displacement

A significant detail to understand is that the breaking load of a shackle is generally six times the working load limit."

Source: RVMAP Technical Alert - D-Shackle Confusion Resolved, 20.10.2014

450-05000

DEE SHACKLE GALVANISED - 8MM (5/16)

Not to be used with safety chains as this is a general purpose shackle.



450-05002

DEE SHACKLE GALVANISED - 8MM (5/16) RATED TO 0.75T



450-05010

DEE SHACKLE GALVANISED - 10MM (3/8)

With a working load rating of 320kg and a proof load rating of 640kg. Not to be used with safety chains as this is a general purpose shackle.



450-05012**DEE SHACKLE GALVANISED - 10MM (3/8"), RATED TO 1T****450-05020****DEE SHACKLE GALVANISED - 12MM (3/8"), RATED TO 1T**

Dee Shackle Galvanised - 12mm with a working load rating of 520Kg and a proof load rating of 1040Kg. Not to be used with safety chains as this is a general purpose shackle.

**450-05022****DEE SHACKLE GALVANISED - 11MM (7/16"), RATED TO 1.5T****450-05024****DEE SHACKLE GALVANISED - 13MM (1/2"), RATED TO 2T****HAND BRAKE SPARES****450-05050****HAND BRAKE WIRE CABLE**

4mm x 10m length

**450-05060****HAND BRAKE CABLE ADJUSTER (With Pulley)****450-05070****HAND BRAKE CABLE CLIPS****450-05080****BRAKE CABLE PULLEY****ALKO COUPLINGS****450-05100****2000KG 2-HOLE SNAP ON COUPLING (PAINTED)**

A fixed coupling suited to fit either where there are no brakes on the trailer, or the braking system does not require activation from an overrun coupling.

**450-05110****2000KG 2-HOLE SNAP ON COUPLING WITH BALL ADJUSTER**

Mounting Hole: 101.6L x 13.5W (mm) zinc plated surface, ball to first centre.

Hole: 77mm



450-05120**3500KG ELECTRIC COUPLING WITH HAND BRAKE**

A zinc plated coupling that is simple to attach to the tow ball.

Mounting Hole: 182.5L x 55W (mm)

Diameter: 13.5mm

**450-05130****2000KG MECHANICAL OVERRIDE COUPLING (NO PLATE)**

A zinc plated coupling that is suited to 50mm ball types.

Mounting Hole: 184L x 54W x 13.5 Diameter (mm)

Ball to first centre hole: 137mm

**450-05140****BRAKE PLATE FOR MECHANICAL OVERRIDE COUPLING**

Has a painted surface.

Mounting Hole: 184L x 54W x 13.5 Diameter (mm)

**450-05146****ALKO AKS TOW BALL RETENTION PLATE**

AKS anti-rotation 50mm tow ball plate for lug type tow bar 75mm wide.

**450-05147****ALKO AKS HIGH RISE 50MM TOW BALL**

AKS anti-rotation 50mm high rise tow ball (black)

**450-05150****HYDRAULIC CONVERSION WITH 3/4" MASTER CYLINDER**


Converts mechanical couplings to hydraulic couplings (a more reliable braking system), suited for vehicles with a hydraulic drum/brake set up, zinc plated.

**ALKO CORNER STEADIES**


Corner steadies are not designed to be used as a jack or as the method of lifting the trailer off the ground. They are designed to stabilize the trailer or caravan when stationary.

450-05300**500MM CORNER STEADY**

Has a front hex drive & is zinc plated.


**450-05302****500MM CORNER HEX DRIVE**

(Bolt On)




450-05310**600MM CORNER STEADY**


Has a front hex drive & is zinc plated.

**450-05320****700MM CORNER STEADY**


Has a front hex drive & is zinc plated.

**450-05322****700MM CORNER HEX DRIVE**


(Bolt On)

**450-05350****500MM CORNER STEADY**

With wheel, has a front hex drive & is zinc plated.

**450-05360****600MM CORNER STEADY**

With wheel, has a front hex drive & is zinc plated.

**450-05410****ALKO CORNER STEADY 510MM**

Has a hex drive, comes complete with a bigfoot making it ideal for softer ground and is zinc plated. (370mm closed)

**450-05400****590MM DROP DOWN CORNER STEADY**

Has a hex drive, comes complete with a bigfoot making it ideal for softer ground & is zinc plated. 450mm closed

**450-05450****740MM DROP DOWN CORNER STEADY**

Has a hex drive, comes complete with a bigfoot making it ideal for softer ground & is zinc plated. 530mm closed



**450-05460****REPLACEMENT HANDLE TO SUIT ALKO CORNER STEADIES****NYLON BUSHES FOR SPRINGS****450-05500****ALKO SPRING NYLON BUSH - 1/2" X 7/8" X 45MM**

450-05510**ALKO SPRING NYLON BUSH**
- 9/16" X 7/8" X 45MM**450-05530****ALKO SPRING NYLON BUSH**
- 9/16" X 3/4" X 45MM**450-05540****ALKO SPRING NYLON BUSH**
- 5/8" X 7/6" X 60MM**SHACKLE PINS & NUTS****450-05630****ALKO SHACKLE PIN - 9/16" X 3-1/2"**
Comes with Nyloc Nut (Non Grease-able)**450-05640****ALKO SHACKLE PIN - 9/16" X 3-1/2"**
Long (Grease-able)**450-05660****ALKO SHACKLE PIN - 5/8" X 3-1/4"**
Long (Non Grease-able)**450-05730****ALKO SHACKLE PIN NYLOC NUT 5/8" UNF**

(Unified National Fine is a thread form with a 60 degree flank angle rounded roots and flat crests)

**450-05740****ALKO SHACKLE PIN NYLOC NUT 9/16" UNF**

(Unified National Fine is a thread form with a 60 degree flank angle rounded roots and flat crests)

**450-05800****ALKO WHEEL STUD KNURLED 1/2" UNF X 41MM****450-05850****ALKO WHEEL NUT 1/2" UNF**
(Nut Angle 60 Degrees) - 20.5mm diameter

TOWSAFE TOW BALL WEIGHT SCALES**450-05990****TOWSAFE TOW BALL WEIGHT SCALE**

Avoid unnecessary fines or even worse-accidents-by knowing your tow ball weight before you head out on a trip. Why do you need to know your tow ball weight? To put it simply, it is unsafe. Too much weight on your tow ball can cause excessive trailer sway, diminished handling and decreased braking ability. Not to mention it can be costly. The laws vary between states but on-the-spot fines can be issued if you exceed your RVs and your vehicles' tow ball weights. The TowSAFE Scale is compact and easy to store. It is made from heavy-duty metal but is gentle on your RV's coupling thanks to a soft rubber head. The gauge is easy to read and will handle up to 350kg. It has also been tested to Australian Standards (AS/NZS ISO10012:2004) so you know you're getting a quality product.

**450-05996****TOW LOAD INDICATOR**

An easy to read, integrated scale that allows you to pack your caravan or trailer and check the weight as you go. Made in Australia, the Tow Load Indicator simply screws onto your existing hitch, allowing you to check that you're staying within safe towing regulation. Comes with a 10 year manufacturer's warranty.

Gauge Display: 50 - 400kg





A leading supplier to the RV market, offering a comprehensive range of remote caravan movers and one of the largest and most varied caravan security and safety product ranges in Australia. As a design-led company, Purple Line specialises in manufacturing innovative and affordable product solutions based on the needs of the market.

450-06002

KOJACK 4T JACK KIT (NEW) HIGHER EXTENSION

The ideal caravan jack that is able to lift a huge 4tons almost effortlessly. Its 3-piece jack handle ensures a smooth hydraulic action. The Kojack mounts under the caravan chassis, so there's no need to dismantle jockey wheels, and its compatible with both ball and block fittings to match most Australian caravans such as Goldstream, Elite and Jayco. Each kit includes: x1 4ton hydraulic Kojack, x1 ball fitting, x1 block fitting, x1 100mm extension, x1 Allen key, x1 3-piece jack handle, x1 fitted carry case and attachment collars.

Weight: 12kg

Lift Range: 220mm (more if extension pieces are used)



450-06010

KOJACK BASEPLATE

Kojack® Baseplate adds stability: If you have a Purple Line® Kojack® 4 tonne caravan jack and want to make it even more stable and secure, the new Kojack® Baseplate is the answer. Ideal for soft ground, gravel or sand, Baseplate gives you a footprint three times the size of the Kojack® itself, which means three times the stability and a third of the downward pressure. It clips onto the Kojack® easily and securely and can also double as a secure footing for your jockey wheel.

Features

- Can be used under jockey wheels to keep them in place and stop them from sinking
- Spring loaded latch keeps the jack in place
- Solid metal construction
- The ideal upgrade for kojack jack
- Suitable for most terrain including: sand, mud, grass, bitumen and gravel
- Australian designed and developed
- 2 Year warranty



450-06032**PURPLELINE TORPEDO HITCH PIN LOCK**

Add extra security to your vehicle

- > Towing rating 3500kg
- > Resistant to cutting, drilling & gas freezing
- > Suits class 4 receiver up to 75mm
- > Compliant with Australian Standards: 4177.1-2004

**450-06040****SOCKET EXTENSION**

An extender socket great for use on corner steady legs and the Kojack Leveller (to stabilise, raise or lower an RV). It can also be used to tighten or loosen other bolts and nuts provided they are 19mm in size. Made from high tensile steel and designed for use with a torque sensitive rechargeable drill.

**450-06050****SOCKET EXTENSION WITH UNIVERSAL JOINT**

Similar to the Socket Extension (above) except that it has a universal joint to facilitate tight spots. It can also be used to tighten or loosen bolts and nuts of 19mm, and is also made from high tensile steel.

**450-06064****NEMESIS WHEEL CLAMP**

The Nemesis wheel lock is made from specially hardened high tensile steel which is resistant to cutting and drilling and incorporates an exclusive high security 9-lever barrel lock, resistant to picking drilling and gas freezing.

The lock is made by Lowe and Fletcher (UK). It is supplied with a handy carry bag to store the unit when not in use. Built with composite metals, resistant to cutting, drilling and gas freezing. Incorporating a seven-pin anti-pick and anti-drill locking bolt with a tubular anti-copy key. Strong, secure and tough, it remains quick and easy to fit.

Suitable for steel and alloy wheels. New Model, 'one size fits all' - suitable for on and off road wheels up 17" and tyres up to 275mm cross-section. Now comes with three keys. The Nemesis wheel lock is the perfect highly visible deterrent.

Ideal for

- > Cars
- > Large Off-Road Tyres
- > Some light commercial vehicles (check wheel /Tyre combinations)
- > Motorhomes
- > Caravans
- > Camper Trailers
- > Boat trailers
- > Horse floats
- > General trailers
- > The Purpleline Nemesis comes with a 2 year warranty.



450-06072**PURPLELINE ANTI THEFT PACK**

Complete Security Kit keeps you safe: Purple Line® has made it a whole lot easier to guard your caravan against thieves with its new Complete Security Kit, which combines the tough Samurai wheel clamp and Saracen® hitch lock in one compact, easy-to-use kit. Keyed alike for maximum convenience, both units have Purple Line's tough, 7-pin locking mechanism, as also used in the big Nemesis® wheel clamp and the hitched-and-unhitched Saracen® Ultra hitch lock. All in a convenient carry bag and backed by a 2 year warranty.

Features**Samurai Wheel Clamp**

- > Simple to use, compact and quick fit
- > Fits tyre widths 145 to 275mm
- > Suitable for both on and off road wheels
- > 2 Year warranty

Saracen Hitch Lock

- > High security hitch lock
- > Quick and easy to fit
- > Resistant to cutting, picking, drilling and gas freezing
- > Made from high strength composite materials
- > 2 Year warranty

**450-06081****SARACEN AUSTRALIAN HITCH LOCK**

Made from especially hardened, high tensile steel, the Saracen is a high security hitch lock that is resistant to cutting and drilling. It is a quick and easy to fit solution to prevent your RV from being towed away. Featuring a Lowe and Fletcher lock, which is also resistant to picking and freezing, the Saracen comes with two keys and is suitable for use on most Australian caravan coupling hitches. Comes with a one year manufacturer's warranty.

Compatible with the following hitches: Alko, Trigg Boss, Meher, Trojan and some other standard Australian hitches.

**450-06084****SARACEN HITCH LOCK WITH SHINGUARD**

Similar to the Saracen (450-06081) this version of the Saracen has a glow in the dark rubber shinguard. No more bumps or bruises around your coupling in the middle of the night.

**450-06085****GULLWING EURO HITCH LOCK**

Designed to fit Alko stabilizer hitches AKS2004 and AKS3004, found predominantly on European RVs such as Bailey, Swift and Adria. It is highly secure, easy to fit and takes a couple of minutes to install. The Gullwing can be fitted to a van whether it is hitched or not.

**450-06086****SARACEN ULTRA HITCH LOCK**

The Saracen Ultra hitch lock suits Australian standard 50mm ball hitches and fits both when HITCHED and UNHITCHED.

Saracen Ultra suits any trailer with a standard 50mm ball hitch - boat and work trailers, caravans and camper trailers, horse floats, box trailers, car and motorcycle trailers - any trailer at all.

Features

- > Made from specially hardened high strength steel
- > Resistant to cutting and drilling
- > Incorporates a high-security, 7-pin barrel lock, resistant to picking, drilling and gas freezing.
- > Suits Australian standard 50mm ball hitches
- > Fits both when HITCHED and UNHITCHED.



450-06087**SARACEN OFF ROAD HITCH LOCK**

Today's tough Aussie off-road vans are increasingly fitted with the Vehicle Components Hitchmaster® D035 articulated hitch, and now Purple Line® has developed a tough new hitch lock to protect it. The new Saracen® Off-Road hitch lock provides the same combination of toughness and easy fitting for the D035 as the standard Saracen® models do for standard 50mm ball hitches. As with all Purple Line® anti-theft products, it features tough metal construction, engineered to give maximum protection for Aussie caravanners. It comes with Purple Line's tough, 7-pin locking mechanism, and is fitted simply by placing the backing plate in position, clamping over the cover and locking the stout locking pin. Backed by a 2 year warranty, it is as tough as the tough Aussie vans it protects - and it makes life even tougher for would-be thieves.

It has all the proven Saracen features including

- > High strength steel construction
- > Anti-pick seven-pin cylinder lock
- > Anti-copy tubular key
- > Suits V1 & V2 D035

**450-06090****AEROPLUS CARAVAN WIND DEFLECTOR**


Proven to reduce drag, the AeroPlus improves towing stability by directing airflow over your RV. This in turn, helps to minimize wear and tear to your tow vehicle whether it be mechanical or your tyres. It is made from ABS plastic and fits most 4WDs, SUVs and station wagons. The AeroPlus is easily fitted onto an existing horizontal roof rail by means of two clamps which are tightened by hand. As you drive, it directs the air over the top of your RV and thus reduces drag and improves fuel economy. It is suitable for use on most roof rails such as Rola, Rhino and Thule (providing that the rail is not wider than 80mm). Comes with angled spacers to increase the angle of the AeroPlus and a two year manufacturer's warranty.

Weight: 7kg (including packaging and fittings)

3.5kg (ABS plastic tail only)

Dimensions: 135W x 20H (cm)

Note: The AeroPlus has been wind tunnel tested up to a speed of 60mph (96kmph). It is therefore advised that if travelling whilst the AeroPlus is fitted, 96kmph is not exceeded. Drivers should always adhere to the road rules of the state they are travelling in.

**450-06400****MILENCO INTERNAL UNIVERSAL SILVER THERMAL CAB BLIND**

This one-size-fits-all blind features high quality, black sucker pads with their own handles to stop any distracting light through for you to get a good night sleep! For optimum performance in winter conditions, warm up demister before removing.

**450-08002****MILENCO QUATTRO LEVEL PAIR (160MM MAX LIFT)**

Sold in pairs complete with carry case.

Europe's best-selling large Level lifts to 160mm and incorporates a lattice, high-grip upper tread surface. It pockets the wheel at every height and features a solid base to stop sinking on soft terrain. The high grip leading edge prevents slippage when approaching and avoids the need for gripper plates.

Dimensions: 20cm H x 24.5cm W x 81cm L

Height of Each Step: 4cm/8cm/12cm/18cm

Weight: 3.8kg Per Level

Capacity: 1500kg Per Wheel = 6000kg Motorhome or 3000kg Caravan



450-08006**MILENCO MGI WEDGE LEVELS (TWIN PACK)**


A conventional wedge-shaped Level with 50% Base and 50% Top surface area featuring a lightweight, strong construction. The high grip leading edge removes the need for gripper plates. Compatible with MGI Milenco Wedge Level Chock.

Dimensions (approx): 11cm H x 18cm W x 46cm L

Height of Each Step: 4cm/8cm/12cm/18cm

Weight: 1kg Per Level

Capacity: 1000kg Per Wheel = 4000kg Motorhome or 2000kg Caravan

**450-08008****MILENCO MGI WEDGE LEVEL CHOCK**

An extra wide chock with side handles to reduce the risk of hand trap. Compatible with MGI Milenco Wedge Levels. Available singularly.

**450-08010****MILENCO MGI WEDGE LEVEL WITH CHOCK**

A pack consisting of 1x MGI Wedge Level (450-08006) and 1x MGI Chock (450-08008).

**450-08020****MILENCO STACKA TYRE SAVER (TWIN PACK)**

These heavy duty tyre savers feature a durable design and a solid base to prevent sinking on soft terrain. Suitable for twin axle, single axle, and tag axle.

Capacity: 1500kg Per Wheel = 6000kg Motorhome or 3000kg Caravan

**450-08022****MILENCO GIANT LATTICE TREAD GRIP MAT (TWIN PACK)**

This heavy-duty, extra large set of Grip Mats is designed to provide excellent performance in wet conditions. The Lattice design allows them to be linked together without being tied.

Dimensions Per Mat: 106cm L x 33cm W



STONE SHIELDS



Protect your RV, and prolong the life of its paintwork, by installing a Stone Shield. Supplied as a flat pack, it is quick and easy to install of the A-frame of your caravan or camper trailer. Made from tough rip stop mesh (resistant to rips or tears), the Stone Shield stops stones (and other hard debris) from chipping, or potentially even denting your RVs paintwork. Comes with two extra-large rubber mud flaps to protect the undercarriage of your caravan or camper trailer.

450-06500

CARAVAN STONE SHIELD

2310mm x 500mm

Net Weight: 16.0kg



450-06520

CAMPER TRAILER STONE SHIELD

1800mm x 500mm

Net Weight: 14.8kg




450-06510

CAMPER VAN STONE SHIELD

2150mm x 500mm

Net Weight: 15.7kg



450-06613**STONE SHIELD RUBBER MUD FLAPS X2
#9 T/S TRAILER****450-06609****STONE SHIELD RIP STOP MESH #10 T/S
CARAVAN****450-06608****STONE SHIELD RUBBER MUD FLAPS X2
#9 T/S BOTH CARAVAN & CAMPER****500-99994****RETRO REFLECTOR****450-06614****STONE SHIELD RIP STOP MESH #10 T/S
TRAILER****450-06611****STONE SHIELD RIP STOP MESH #10 T/S
CAMPER**