

SECTION 7



PLUMBING

(Product Group - 800)

Shurflo Pumps and Parts	278 - 282
Lockable Water Fillers	283 - 284
Waste Hose and Drinking Hose	284 - 287
Water Tanks	287 - 290
JG Plumbing Fittings	290 - 296
Plastic Plumbing Fittings	296 - 301
Fuel Safe Cans	301
Accumulator Tanks	301
Tank Monitors and Cleaners	302 - 303
Thetford Sinks, Smev Sinks and Acrylic Sinks	304 - 306
Shower Hoses, Mixers and Hand Pumps	307 - 308
Shower Bases and Bathroom Modules	308 - 309
Faucets	309 - 310

TOILETS

(Product Group - 850)

Fiamma Bipots and Thetford Porta Pottis	311 - 313
Thetford Additives Cleaners	314 - 316
Toilet Tissue	316
Thetford Cassette Toilets	317 - 319
Thetford Toilet Accessories and Spares	320 - 322
Valterra Hoses, Valves and Fittings	322 - 323
Camco Sewer Fittings and Hoses	323 - 325
Fiamma Waste Tank	326
Toilet Deodorisers	326 - 327

SHURFLO PUMPS



Since 1968, SHURFLO® emerged to set the standard for all freshwater pumps throughout the RV Industry. Used worldwide, SHURFLO® pumps quickly earned the reputation of being the most reliable on the market.

800-00012**SHURFLO PUMP 12V (10L, OEM BULK, NO FITTINGS)**

A fresh water pump designed with a one-piece diaphragm and internal by-pass ensuring a long life and max performance. Constructed for high flow demand, this updated Shurflo pump has low noise emissions and no rapid cycling. CE and C-Tick compliant, must be installed with a filter.

Specifications

Pump: Type: 4 Chamber Diaphragm Pump
 Ports: 1/2" - 14 NPSM-Male
 Inlet PSI: 30Psi (2.1Bar) Max
 Shut Off Pressure: 45Psi

Electrical: Motor: 12V DC Permanent Magnet, Intermittent Duty
 Protection: Thermal Overload, Automatic Restart
 Fuse: 7A Recommended

Materials: Housing: Polypropylene
 Hardware: Stainless and Zinc Plated Steel

Net Weight: 2.3kg
Dimensions: 205L x 125W x 111H (mm)

**800-99997****SHURFLO 4009 OEM PUMP 12V AND FILTER KIT**

Includes x1 800-00012 and x1 800-00300

800-00022**SHURFLO 4009 PUMP (10L, RETAIL BOX)**

Has all the same features and functions as 800-00012 (above) with the only difference being that it comes in a well presented retail box with fittings for display on your shelves. The Retail Box comes with x2 800-00206 fittings for your customers' convenience. Note: A filter must be installed with the 4009 Pump in order to validate warranty.



800-99998

SHURFLO 4009 RETAIL PUMP 12V AND FILTER KIT

Includes x1 800-00022 and x1 800-00300

800-00052

SHURFLO 4009 PUMP 24V (10L OEM BULK, NO FITTINGS)

Has all the same features and functions as 800-00012 with the only difference being that it runs on 24VDC. Note: A filter must be installed with the 4009 Pump in order to validate warranty.

Specifications

Pump: Type: 4 Chamber Diaphragm Pump
Ports: 1/2" - 14 NPSM-Male
Inlet PSI: 30Psi (2.0Bar) Max
Shut Off Pressure: 30Psi

Electrical: Motor: 24V DC Permanent Magnet, Intermittent Duty
Protection: Thermal Overload, Automatic Restart
Fuse: 5A Recommended

Materials: Housing: Polypropylene
Hardware: Stainless and Zinc Plated Steel

Net Weight: 2.5kg

Dimensions: 205L x 125W x 111H (mm)



800-00070

SHURFLO 30PSI 12V PUMP BULK

Shurflo's 4009 series fresh water pump design was created with a unique one-piece diaphragm and internal by-pass, assuring long life and top performance. The 4009 series pump is constructed for high flow demand, low noise and no rapid cycling. The 4009 series fresh water automatic demand pump is super quiet, thermally protected and can run dry without damage. Note: A filter must be installed with the 4009 pump in order to validate warranty.

Specifications

Pump: Type: 4 Chamber Diaphragm Pump
Ports: 1/2" - 14 NPSM-Male
Inlet PSI: 30Psi (2.1Bar) Max
Shut Off Pressure: 30Psi

Electrical: Motor: 12V DC Permanent Magnet, Intermittent Duty
Protection: Thermal Overload, Automatic Restart
Fuse: 5A Recommended

Materials: Housing: Polypropylene
Hardware: Stainless and Zinc Plated Steel

Net Weight: 2.3kg

Dimensions: 205L x 125W x 111H (mm)



800-00072

SHURFLO 30PSI 12V PUMP RETAIL BOX

Has all the same features and functions as 800-00070 with the only difference being that it comes in a well presented retail box with fittings. This retail box also contains all the necessary fittings for installation, however please note, a filter must be installed with the 4009 pump in order to validate warranty.



SHURFLO 2088 REPLACEMENT PARTS

800-00150 REPLACEMENT VALVE ASSEMBLY KIT



800-00152 REPLACEMENT PLASTIC BASE PLATE



800-00154 REPLACEMENT CHECK VALVE KIT



800-00156 REPLACEMENT LOWER HSG/DRIVE KIT



800-00158 REPLACEMENT UPPER HSG/SWK KIT 40PSI



SHURFLO 4009 REPLACEMENT PARTS


800-00160 REPLACEMENT UPPER ASSEMBLY #1



800-00162 REPLACEMENT VALVE ASSEMBLY #2



800-00164 REPLACEMENT DRIVE ASSEMBLY #3



800-00170 SHURFLO PRESSURE SWITCH To suit 4009-101-A87/B87.94-890-02



800-00172 SHURFLO UPPER ASSEMBLY #1 To suit 4009-131-A54 24V pump



SHURFLO BARBS

800-00200 ELBOW BARB WITH 1/2" TAIL (90°)



800-00202

STRAIGHT BARB WITH 1/2" TAIL



800-00204

ELBOW 1/2" THREAD INLET AND OUTLET



800-00206

STRAIGHT WINGNUT WITH 3/4" BARB



FILTERS

These clear strainers eliminate unnecessary repair by keeping dust or other particles out of your Shurflo pump. Its transparent design is also convenient as it shows when the filter should be cleaned/ emptied. The top housing is made from polypropylene and the filter itself is made from T304 stainless steel (mesh). Note that for warranty purposes, all Shurflo pumps must be installed with one of the two filters below.

800-00300

TWIST FILTER WITH 1/2"THREAD INLET AND OUTLET

This is a direct screw on filter and will require a screw-on connection.



800-00312

TWIST-ON FILTER WITH 1/2" BARB INLET

Suitable for use when a flexible hose such as a reinforced drink water hose is used.



IN LINE CHECK VALVES

800-00340

SHURFLO IN LINE CHECK VALVE WITH 1/2" BARBS



800-00350

WHALE 1/2 PLASTIC IN LINE NON RETURN VALVE



SHURFLO WATER PRESSURE REGULATORS

800-00502

SHURFLO IN-LINE PRESSURE WATER REGULATOR (WHITE)

A water pressure reducing valve; outlet pressure: 50psi; inlet pressure: 125psi (max)



800-00520

SHURFLO CITY WATER PRESSURE REGULATOR FLUSH MOUNT (POLAR WHITE)



800-00529**PRESSURE LIMITING VALVE 350KPA****800-00532****SHURFLO FLUSH MOUNT WATER PRESSURE REGULATOR - BLACK****800-00550****COAST 90D ELBOW HOSE ADAPTER 1/2" MPT TO CLICK ON**

This quick click on hose connector has an American thread to fit properly into a Shurflo city water entry, with an elbow to prevent hose kinking.

**800-00552****VALTERRA MALE HOSE MENDER**

Adapter to suit USA thread.

**800-00600****SHURFLO RV AND MARINE FILTRATION KIT (RV-QBR-A)**

Using only the highest quality approved materials, the Shurflo Filtration Kit ensures you have clean, great tasting water wherever you travel. It actively reduces the chlorine taste and odour from water. The kit includes a 1/4" filter head (with bracket), a disposable filter, a drinking water tap, mounting screws, mounting fittings and a 1.5m length of tube. Suitable for cold water only, it is recommended that after prolonged periods of non-use, that the system be flushed thoroughly i.e. let water run for 2-3 minutes before using it. When mounting the system, allow 1 1/2" (38mm) clearance below the housing or 279mm below the filter head (this will give you enough room to change the filter cartridges). Comes with a limited 1yr warranty from Pentair Water Australia.

Micron: 0.5

Pressure Range: 30 - 125 PSI (2.1 - 8.62 Bar)

Flow Rate: 1.9L p/min

**800-00650****SHURFLO REPLACEMENT CARTRIDGE FOR FILTER KIT (RV-QDFR-A)**

Easily installed, the disposable quick change filter ensure you have pure water for longer. Shurflo recommends changing the filter every 6 - 12 months or when its capacity (1890L) has been reached, whichever comes first. (Alternative model number: 155 785-38)



LOCKABLE WATER FILLERS**800-00900****LOCKABLE WATER FILLER COMPLETE WITH CAP AND KEYS "WHITE" 25MM OUTLET****800-00902****LOCKABLE WATER FILLER WITH 25MM OUTLET, COMPLETE WITH CAP - BLACK****Z800-01063****WATER FILLER CAP (BLACK)**

Lockable, comes with two keys.

**Z800-01064****WATER FILLER CAP (WHITE)**

Lockable, comes with two keys.

**800-00920****SPARE CAP AND KEYS ONLY "WHITE"****800-00922****SPARE CAP AND KEYS - BLACK ONLY****800-00932****LOCKABLE FUEL FILLER**

Available in white and comes with two keys.

**800-01000****AC41 WATER FILLER WITH LID****SQUARE LOCKABLE WATER FILLER****800-01081****DUAL LOCKABLE WATER FILLER WITH PLASTIC VALVE**

Dimensions Overall: 195W x 167H x 47D (mm)

Dimensions Cut Out: 147W x 118H (mm)

**800-01082****SPARE KEY TO SUIT DUAL LOCKABLE WATER FILLER**

Also suits external shower unit 800-06000 and 800-06002



800-01088**WATER FILLER INLET (BLACK)**

230W x 153H x 83D (mm)

**800-01090****WATER FILLER INLET (WHITE)**

230W X 153H X 83D (mm)

**800-01110****WATER FILLER LOCKABLE**

Accepts a 32mm or 35mm hose and has a tank vent connection. Is UV and impact resistant and can be painted if required.

Dimensions Overall: 165H x 152W x 76D (mm)**Dimensions Cut Out:** 121H x 108W (mm)**800-01091****DOOR SET FOR WATER FILLER INLET****800-01092****INLET CONNECTOR FOR WATER FILLER****800-01096****KEYS (PAIR) ONLY (PLASTIC) FOR WATER FILLER****800-01230****MARINE AND OUTDOOR WATER HOSE**

A 10m drink water hose supplied on a manually retractable hose reel. Great for any RV, the hoses' reinforced core ensures continuous water flow. Compact in design (just 1.59cm wide), it has a carry handle for portability. (The hose comes standard with a 3/4" BSP threaded connection. Should this type of thread not be suited to your needs, an Adaptor Kit can be purchased - (refer to part number 800-01241 below)

Dimensions: 1.59W x 1000L (cm)**800-01241****ADAPTOR KIT FOR MARINE AND OUTDOOR WATER HOSE**

Allows you to attach the hose to any garden tap. Each kit contains a tap adaptor and two snap-on hose fittings.

**FLAT-OUT HOSES****800-01250****FLAT OUT 15M DRINK HOSE 25MM ID (ON MULTI-REEL)****Dimensions:** 375W x 440H (mm)

800-01260

**FLAT OUT 10M DRINK HOSE
25MM ID (ON COMPACT REEL)**


Dimensions: 300W x 360H (mm)



800-01270

**FLAT OUT 9M WASTE HOSE
25MM ID (ON MULTI-REEL)**

Dimensions: 375W x 440H (mm)



800-01280

**FLAT OUT 6M WASTE HOSE
25MM ID (ON COMPACT REEL)**

Dimensions: 300W x 360H (mm)



800-01290

**FLAT OUT 9M WASTE HOSE 32MM ID
(ON MULTI-REEL)**

Dimensions: 375W x 440H (mm)

** Empty reels also available, please refer to Section 3*



DRINKING WATER HOSE (WHITE)

800-01300

**WHITE NON-TOXIC REINFORCED WATER
HOSE (12MM X 20M)**



800-01310

**WHITE NON-TOXIC REINFORCED WATER
HOSE (12MM X 10M)**



800-01327

3/4" BSP SPRINKLER ADAPTOR



WASTE HOSE 27MM ID

800-01340

WASTE HOSE 27MM ID X 30M ROLL

Corrugated internally.



BLACK WASTE HOSE 25MM ID

Corrugated flexible hose, tough and durable waste hose with a "smooth" inner lining to prevent clogging available in 10m or 30m rolls with a 25mm ID diameter.

800-01332

10M ROLL BLACK WASTE HOSE 25MM ID



800-01342

30M ROLL BLACK WASTE HOSE 25MM ID



Coast to Coast

coastrv.com.au

285

BLACK WASTE HOSE 27MM ID

Corrugated flexible hose, tough and durable waste hose with a "smooth" inner lining to prevent clogging available in 10m or 30m rolls with a 27mm ID diameter.

800-01334**10M ROLL BLACK WASTE HOSE 27MM ID****800-01344****30M ROLL BLACK WASTE HOSE 27MM ID****800-01336****BLACK WASTE HOSE 38MM ID**

A smooth bore (inner lining) waste hose made from black PVC. It has great flexibility and is UV stabilised. Comes in a 10m roll.

Nom O.D.: 45mm**Vacuum Rating:** 310mm hg (@20°C)**Min. Bend Radius:** 140mm**800-01346****BLACK WASTE HOSE 32MM ID**

A smooth bore waste hose made from black PVC. It has great flexibility and is UV stabilised. Comes in a 10m roll.

Nom O.D.: 39mm**Vacuum Rating:** 310mm hg (@20°C)**Min. Bend Radius:** 115mm**800-01360****20M ROLL OF NON-TOXIC REINFORCED WATER HOSE**

A blue 20m plastic wrapped hose suitable for multiple applications, especially in caravans and boats. Can also be used with a standard 12mm garden hose fitting.

Pressure Rating: 12.5PN**800-01362****10M ROLL OF NON-TOXIC REINFORCED WATER HOSE**

A blue 10m plastic wrapped hose suitable for multiple applications, especially in caravans and boats. Can also be used with a standard 12mm garden hose fitting.

Pressure Rating: 12.5PN**800-01364****100M COIL OF NON TOXIC REINFORCED WATER HOSE**

A blue 100m plastic wrapped hose suitable for multiple applications, especially in caravans and boats. Can also be used with a standard 12mm garden hose fitting.

Pressure Rating: 12.5PN

800-01366

12MM WHITE NON TOXIC WATER HOSE WITH FITTINGS 10M

12mm hose for the conveyance of drinking water, comes with fittings installed.

- > Proudly Australian made.
- > Conforms to AS/NZS 2070 (Plastics for food contact).
- > Excellent U.V. resistance to withstand extreme Australian conditions.
- > Manufactured from Phthalate free compound.
- > Specially manufactured as to not taint the water.

Specifications

Inner Core: White non tainting Polyolefin with smooth finish.

Reinforcing: High tenacity polyester yarn.

Outer Cover: U.V. stabilised clear Polyolefin with a smooth finish.

Fittings: Fitted with Perma-connect fittings c/w tap adaptor.




800-01520

ROUND ENDED TANK

61L round ended tank

900mm x 490mm x 165mm




800-01500

ALKO TANK

52L Alko tank

1000mm x 330mm x 178mm




800-01530

MILLARD TANK

63L Millard tank

860mm x 525mm x 160mm



WATER TANKS**800-01540****84L STANDARD TANK**

864mm x 508mm 216mm

**800-01567****WATER TANK BUNGS FOR 65L AND 80L TANKS****800-01569****WATER TANK BUNGS FOR 140L TANKS****COAST TANK****800-01574****90L WATER TANK WITH TAP**

Has a 25mm barb.


Dimensions: 1270L x 400W x 210H (mm)

**800-01576****TOP CAP FOR JAYCO WATER TANK****800-01577****SPARE TAP FOR 800-01574****HEAVY DUTY WATER TANKS**

Heavy duty water tanks, robust construction with inbuilt mounting flange complete with fittings and threaded for tap facility.

800-01580**65L TANK**

810 x 190 x 615mm

**800-01582****83L TANK**

810 x 265 x 615mm

**800-01584****140L TANK**

1500 x 200 x 690mm



800-01590

FIAMMA 70L WATER TANK

The Fiamma 70L fresh water tank is made of non-toxic material and weighs 3.7kg. Comes with all necessary fittings for installation.

Dimensions: 240D x 710L x 470Wmm




800-01600

**WATER TANK 43L MODULAR STANDARD
860 X 260 X 220MM**

This new moulded modular caravan and RV water tank will change the way you use water tanks. This one tank can be configured in many ways to provide a single low cost solution.

The BR Plastics tank is blow moulded from food contact approved High Molecular Weight High Density Polyethylene. This makes the tank a super tough performer. The tank is moulded with two integral 20mm (3/4 BSP) threaded closures that can accept a wide variety of standard fixtures and fittings. Using these standard fitting the tank can be networked together to provide almost limitless water storage options for your vehicle.



800-01602

**WATER TANK 43L MODULAR PACK ONE
860 X 260 X 220MM**

Pack One consists of:

- > 1 x 43L Tank
- > 2 x Elbows
- > 1 x 12mm Director
- > 1 x 25mm Director



800-01604

**WATER TANK 43L MODULAR PACK TWO
860 X 260 X 220MM**

Pack One consists of:


- > 1 x 43L Tank
- > 1 x Tee
- > 1 x Cap
- > 2 x 25mm directors



800-01606

**WATER TANK GREY WATER 50L
MODULAR 698 X 382 X 210MM**

The BR Plastics tank is blow moulded from food contact approved High Molecular Weight High Density Polyethylene. This makes the tank a super tough performer. The tank is moulded with two integral 40mm (1.5" BSP) threaded female closures that can accept a wide variety of standard fixtures and fittings. Using these standard fittings the tank can be networked together to provide many water storage options for your vehicle.




7

WATER TANKS

800-01608**WATER TANK 54 L CARAVAN AND RV
WATER TANK 755 X 355 X 220MM**

The tank is moulded with three integral 20mm (3/4 BSP) threaded closers that can accept a wide variety of standard fixtures and fittings.

**800-01991****HOLMAN ADAPTER SET**

3 piece brass adapter set.

**800-01992****NETA 1 1/6" 12MM BRASS CLICK ON
SPRAY ADAPTOR**

Screws into sprays or pumps and clicks into hose connections.

**JOHN GUEST PLUMBING FITTINGS****800-02000****JG FEMALE PLASTIC CONNECTOR
FOR 12MM X 3/8 FBSP****800-02001****JG FEMALE PLASTIC CONNECTOR
FOR 12MM X 3/8" FBSP**

Has a shallow (approx. 7mm deep) thread.

**800-02002****JG FEMALE PLASTIC CONNECTOR
FOR 12MM X 1/2 FBSP****800-02004****JG 1/2 BARB FOR TUBE FITTING
15MM X 1/2"****800-02006****JG STRAIGHT 12MM X 1/2 BSPT
MALE ADAPTER**

800-02008

JG PLASTIC 12MM TEE CONNECTOR



800-02019

JG BRASS STRAIGHT 12MM X 1/2" NPT



800-02010

JG PLASTIC 12MM ELBOW CONNECTOR



800-02023

JG 12MM TUBE INSERT IN BAGS OF 100



800-02012

JG PLASTIC 12MM STRAIGHT CONNECTOR



800-02024

JG 12MM LOCKING CLIP



800-02014

JG PLASTIC 12MM X 1/2 BSP STRAIGHT MALE STEM ADAPTER



800-02026

JG 1/2" BRASS MALE ADAPTER WITH 12MM PLASTIC ELBOW



800-02016

JG PLASTIC 12MM X 10MM JOINER



800-02028

JG 12MM PLASTIC SWIVEL ELBOW MALE 1/2" BSPT



800-02018

JG PLASTIC STEM ELBOW 12MM CONNECTOR



800-02030


JG 12MM EQUAL DIVIDER




800-02032

JG 12MM SINGLE CHECK VALVE



800-02034**JG 12MM BULKHEAD ADAPTER****800-02036****JG 12MM SHUT-OFF VALVE PLASTIC****800-02038****JG 12MM 3/8" STRAIGHT ADAPTER
MALE PLASTIC****800-02040****JG 12MM SERIES 08 RED PLUG****800-02042****JG 12MM 1/2" TUBE TO HOSE BRASS****800-02048****JG TUBE TO HOSE CONNECTOR
(12MM X 10MM)****800-02098****JG TUBE CUTTER
(sold separately)****800-02100****JG BLUE 12MM X 100M ROLL OF TUBING**


UV resistant, sold per 100m roll.

**800-02101****JG COLLET LOCKING TOOL**

A spacing tool used to help create space for, or remove, a locking clip.

**800-02102****JG BLACK 12MM X 100M ROLL OF TUBING**

UV stabilised, sold per 100m roll.

**800-02104****JG RED 12MM X 100M ROLL OF TUBING**

No uv protection; sold per 100m roll.

**800-02120****JG BLUE 12MM X 10M ROLL OF TUBING**

UV resistant, sold per 10m roll.



800-02122

JG BLACK 12MM X 10M ROLL OF TUBING

UV stabilised, sold per 10m roll.



800-02124

JG RED 12MM X 10M ROLL OF TUBING

No uv protection, sold per 10m roll.



800-02150

PINK WATER SEAL TAPE 12MM X 10M ROLL

- > Resistant to almost all types of acids, bases, solvents, chemicals etc., (with the exception of fluorine, some fluoride chemicals and melted alkali metals).
- > Non-flammable (ASTM D-635 D-470). Non-ageing. High tensile strength even at low temperatures. Break-down resistant, especially, in connection with bending and vibration
- > Suitable for Natural Gas and LPG (Propane and Butane)




JOHN GUEST WATERMARK FITTINGS

The John Guest Speedfit RV Range has been specifically designed to meet Australian Standards and to be WaterMark compliant. The benefits of this range is its increased maximum working temperature and pressure. JG Speedfit tube fittings are warranted to achieve 80°C at 1000 kPa.

Push-fit plastic fitting for the connection of plastic and copper pipe. Designed, manufactured and assembled in the UK by John Guest Speedfit. Simply push the fitting fully onto the pipe and twist the plastic nut clockwise to lock in place. Should the need arise to demount the connection unlock the nut and push the collet towards the body of the fitting and pull the pipe to release. The fitting ensures an easier working environment in confined places and removes the need for hot works on site. Installation can be reduced by around 40% against traditional fixing methods.


800-02200

JG WATERMARK EQUAL STRAIGHT CONNECTOR 12MM PEM0412W







800-02202

JG WATERMARK EQUAL ELBOW 12MM PEM0312W



7

WATERMARK PLUMBING FITTINGS

800-02204**JG WATERMARK EQUAL TEE 12MM
PEM0212W****800-02208****JG WATERMARK STEM TEE 12MM
PEM531212W****800-02206****JG WATERMARK STEM ELBOW 12MM
PEM221212W****800-02210****JG WATERMARK STEM REDUCER 12MM
PEM061612W****800-02212****JG WATERMARK STRAIGHT TAP
CONNECTOR 12MM PEMSTC1214 1/2 BSP**

800-02214


**JG WATERMARK BENT TAP CONNECTOR
12MM PEMBTC1214 1/2 BSP**



800-02218

**JG WATERMARK MALE ADAPTOR 12MM
NC2771 1/2 BSPT**

Ideal for use with Suburban HWS




800-02216

**JG WATERMARK END CAP 12MM
PSE4612W**



800-02220

**JG WATERMARK FEMALE ADAPTOR 12MM
MW451213 3/8 BSP**



800-02222

**JG WATERMARK TUBE INSERT 12MM
TSM12**



800-02224
JG WATERMARK BPEX TUBE
12MM X 50MM 12BPEX-50C



800-02226
JG WATERMARK COLLECT CLIP BLUE
12MM CM1812B



800-02228
JG WATERMARK COLLECT CLIP RED
12MM CM1812R



PLASTIC PLUMBING FITTINGS

800-02300
PLASTIC BARBED ELBOW 13MM



800-02302
PLASTIC BARBED ELBOW 19MM



800-02304
PLASTIC BARBED ELBOW 25MM



800-02306
PLASTIC BARBED JOINER 13MM



800-02308
PLASTIC BARBED JOINER 19MM



800-02310
PLASTIC BARBED JOINER 25MM



800-02312
PLASTIC BARBED TEE 13MM



800-02314
PLASTIC BARBED TEE 19MM



800-02316
PLASTIC BARBED TEE 25MM



800-02318
PLASTIC BARBED END PLUG 13MM



800-02320
PLASTIC BARBED END PLUG 19MM



800-02322
PLASTIC BARBED END PLUG 25MM



800-02324
PLASTIC BARBED REDUCING JOINER
19MM X 13MM



800-02326
PLASTIC BARBED REDUCING JOINER
25MM X 13MM



800-02328
PLASTIC BARBED REDUCING JOINER
25MM X 19MM



800-02330
19MM BARBED X 13MM BRANCH TEE



800-02332
25MM BARBED X 13MM BRANCH TEE



800-02334
25MM BARBED X 19MM BRANCH TEE



800-02336
13MM BARBED X 19MM BRANCH TEE



800-02338
19MM BARBED X 25MM BRANCH TEE



800-02340
13MM BARBED X 1/2" BSP FEMALE
THREADED ELBOW



800-02342
19MM BARBED X 1/2" BSP
FEMALE THREADED ELBOW



800-02344

25MM BARBED X 1/2" BSP
FEMALE THREADED ELBOW

800-02356

19MM BARBED X 3/4" BSP
MALE THREADED TEE

800-02346

13MM BARBED X 1/2" BSP
FEMALE THREADED TEE

800-02358

25MM BARBED X 1/2" BSP
MALE THREADED TEE

800-02348

19MM BARBED X 1/2" BSP
FEMALE THREADED TEE

800-02360

25MM BARBED X 3/4" BSP
MALE THREADED TEE

800-02350

25MM BARBED X 1/2" BSP
FEMALE THREADED TEE

800-02362

13MM BARBED X 1/2" BSP
MALE THREADED ELBOW

800-02352

13MM BARBED X 1/2" BSP
MALE THREADED TEE

800-02364

19MM BARBED X 1/2" BSP
MALE THREADED ELBOW

800-02354

19MM BARBED X 1/2" BSP
MALE THREADED TEE

800-02366

19MM BARBED X 3/4" BSP
MALE THREADED ELBOW

800-02368**25MM BARBED X 1/2" BSP
MALE THREADED ELBOW****800-02370****25MM BARBED X 3/4" BSP
MALE THREADED ELBOW****800-02372****19MM BARBED X 1/2" BSP
MALE THREADED CORNER ELBOW****800-02374****19MM BARBED X 1/2" BSP
FEMALE THREADED CORNER ELBOW****800-02376****25MM BARBED X 1/2" BSP
MALE THREADED CORNER ELBOW****800-02378****19MM BARBED X 1/2" BSP
MALE THREADED SIDE OUTLET TEE****800-02380****19MM BARBED X 1/2" BSP
FEMALE THREADED SIDE OUTLET TEE****800-02382****3/4" BSP NUT X 13MM TAIL****800-02384****3/4" BSP NUT X 19MM TAIL****800-02385****NUT AND TAIL HANSEN (40MM) - 1.5"
BSPT X 40MM TAIL****800-02386****1" BSP NUT X 13MM TAIL**

800-02388**1" BSP NUT X 19MM TAIL****800-02390****1" BSP NUT X 25MM TAIL****800-02392****PLASTIC BARBED IN-LINE VALVE 25MM****800-91000N****PIPELINE FEMALE CAMLOCK WITH HOSE TAIL (25MM)**

Made from polypropylene with a 25mm thread.

**800-91002N****PIPELINE FEMALE CAMLOCK WITH HOSE TAIL (32MM)**

Made from polypropylene with a 32mm thread.

**800-91004N****PIPELINE MALE CAMLOCK (25MM)**

Made from polypropylene with a 25mm BSP thread.

**800-91006N****PIPELINE MALE CAMLOCK (32MM)**

Made from polypropylene with a 32mm BSP thread.

**800-91008N****PIPELINE DUST CAP (25MM)**

Made from polypropylene with a 25mm BSP thread.

**800-91010N****PIPELINE DUST CAP (32MM)**

Made from polypropylene with a 32mm BSP thread.

**800-91012N****PIPELINE BALL VALVE (25MM)**

Made from polypropylene, this spin weld ball valve has a 25mm thread.

**800-91014N****PIPELINE BALL VALVE (32MM)**

Made from polypropylene, this spin weld ball valve has a 32mm thread.

**800-91016N****PIPELINE GREY HOSE - 25MM**

Sold per metre.

**800-91018N****PIPELINE GREY HOSE - 32MM**

Sold per metre.



800-91020N**PIPELINE WASTE KIT WITH HOSE (25MM)**

Kit consists of: x1 800-91012N, x1 800-91000N,
x1 800-91004N, x1 800-91008N and x3 800-91016N

**800-91022N****PIPELINE WASTE KIT WITH HOSE (32MM)**

Kit consists of: x1 800-91014N, x1 800-91002N,
x1 800-91006N, x1 800-91010N and x3 800-91018N

**FUEL SAFE ALL PLASTIC CANS**

These fuel safe cans are made from high strength polyethylene for the safe transportation of fuel and other flammable liquids. Features an anti-glug pourer.

800-02400**FUEL SAFE PLASTIC 5L FUEL CAN****800-02410****FUEL SAFE PLASTIC 10L FUEL CAN****800-02420****FUEL SAFE PLASTIC 20L FUEL CAN****ACCUMULATOR TANKS****800-03000****SHURFLO ACCUMULATOR TANK****800-03010****FIAMMA A20 ACCUMULATOR TANK****800-91096N****ROLL TANK HOSE KIT (25MM)**

Kit consists of: x2 800-91000N and x1 800-91016N

**800-91098N****ROLL TANK HARDWARE KIT (25MM)**

Kit consists of: x1 800-91024N, x1 800-91026N,
x1 800-91028N, x1 800-91004N, x1 800-91008N and
x1 800-91030N



JRV TANK MONITOR**800-03100****Features**

Easy to install, has gauges for 2 fresh water tanks, 1 grey water tank, Battery level indicator and has pump switch

Dimensions: 119W x 98H x 13D (mm)

**800-03102****Features**

Easy to install, has a gauge for 1 fresh water tank, Battery level indicator and has pump switch

Dimensions: 119W x 98H x 13D (mm)

**800-03104****Features**

Easy to install, has gauges for 2 fresh water tanks, Battery level indicator and has pump switch

Dimensions: 119W x 98H x 13D (mm)

**800-03196****WATER SENSOR TANK HARNESS****800-03198****JRV TANK WELL NUT ONLY FOR MONITOR****800-04020****RV DRINKING WATER FRESH POWDER**

This is a concentrated formula that works fast to eliminate tastes and odors associated with anti-freeze, chlorine, plastic and metal tanks. Chlorine-free, non-toxic, and environmentally-safe (12oz bottle).

**800-04030****TASTE PURE (WATER FRESHENER)**

Eliminate algae and slime buildup from drinking water tanks. Just 28 grams helps remove bad smells and taste from 75L of water (473ml Bottle)

**800-04040****GREY WATER DEODORISER**

Deodorize black and grey water tanks with these compact tablets. One tablet treats up to 150L. (Pack of 6)

**800-04042****CAMCO TST GREY WATER ODOR CONTROL - 32 OZ 946 ML**

Remove grease buildup in your grey water tank, sink and shower drain lines with this concentrated treatment. Only 100ml per 140L eliminates foul odors, leaving a fresh lemon scent.



800-04100**NATURAL WATER CHLORINE DIOXIDE TABLETS 8 X 4 GRAMS**

Water tanks in caravans and campers need to be treated regularly to ensure there is no harmful build-up of micro-organisms and biofilm. The fact that caravans are often not used for prolonged periods of time makes it even more crucial to keep the water safe for cooking and consumption.

Organic material in water tanks can be harmful to your health and negatively affects the taste and odour of water. The build-up of biofilm in pipes can also cause problems in the flow-rate and longevity of your system. CleanOxide®, which is Chlorine Dioxide, is the most effective product on the market to clean water tanks and ensure the water is safe for consumption.

- > Effective over a broad pH range (4 to 10)
- > Controls bacteria, fungi, viruses, biofilm and algae.
- > Neutralises unpleasant taste and odours from tank water.
- > Safer than Chlorine. CleanOxide® does not react with ammonia and does not produce toxic compounds in contact with organic materials present in water.
- > Effective at lower dose rates than chlorine or bromine.
- > Non-corrosive at the recommended dose rates
- > Bio-degrades in sunlight, so no harmful effect on the environment when flushing your tank.
- > Micro-organisms do not develop resistance to CleanOxide®.
- > Approved in Australia for the treatment of drinking water since 2005.

Specifications

Each 4 gram tablet treats 100 to 400 litres of water.

**800-04110****NATURAL WATER CLEANOXIDE GEL**

Unlike most conventional Odour treatments that merely mask bad smells our CleanOxide® Gel actually has the ability to kill the source of the problem. The Chlorine Dioxide that is released from the Gel works by destroying part of the odour molecule, stripping it of its odour potential. It is the oxygen ions that are doing the work, killing the airborne bacteria, mould or viruses and safely eliminating odour.

- > Slow regulated release of chlorine dioxide vapour at undetectable and safe levels.
- > Simple mixing instructions
- > 1 packet treats up to 25m² (floor area).



SINKS

800-04900**ARGENT SINK MK3 (LEFT HAND)**

This Argent sink has a left handed drain and comes with a smoked black glass lid.

Specifications

Overall Dimensions: 152H x 630W x 470D (mm)

Worktop Cut-Out Dimensions: 605W x 415D (mm)

Inside Bowl Dimensions: 100H x 290W x 368D (mm)

Sink Capacity: 9.6L

Net Weight: 5.5kg

**800-04910****KITCHEN CENTRE MK3**

A complete kitchen sink set, including plastic wash bowl, chopping board, draining board and draining rack. All accessories fit inside the stainless steel sink when not being used, which makes the Kitchen Centre a beautiful space saver. Comes with a smoked black glass lid.

Specifications

Overall Dimensions: 153H x 360W x 470D (mm)

Worktop Cut-Out Dimensions: 335W x 430D (mm)

Inside Bowl Dimensions: 99H x 290W x 368D (mm)

Sink Capacity: 11L

Net Weight: 3.6kg

**800-04980****SMEV BASIN WITH MIXER TAP**

A flush mount, stainless steel basin with a glass lid. It comes with a plug and waste kit.

Dimensions: 145H x 420W x 440D (mm)

**800-04982****SMEV SINK WITH DRAINER**

A Flush mount, stainless steel basin that comes with a plug and waste kit.

Dimensions: 125H x 590W x 370D (mm)

**800-04984****SMEV SINK WITH DRAINER**

A Flush mount, stainless steel basin that comes with a plug and waste kit.

Dimensions: 145H x 650W x 380D (mm)

**800-04986****SMEV SINK (SQUARE)**

A top fixing stainless steel sink with an inox finish. Comes with a plug and waste kit.

Dimensions: 370W x 370D x 125H (mm)

**800-04988****SMEV SINK (RECTANGULAR)**

A flush mount stainless steel sink with an inox finish. Comes with a plug and waste kit.

Dimensions: 280W x 380D x 145H (mm)



THETFORD SINKS

800-90004N

THETFORD SINK - LEFT HAND DRAIN

A top mount stainless steel sink with left hand drain section. It also features a smoked glass lid which allows you to maximize your work area whilst it is closed.

Dimensions: 630W x 475D x 160D (mm)



800-90006N

THETFORD SINK - RIGHT HAND DRAIN

A top mount stainless steel sink with right hand drain section. It also features a smoked glass lid which allows you to maximize your work area whilst it is closed.

Dimensions: 630W x 475D x 160H (mm)



800-90008N

THETFORD BASIC LINE 340 SINK

A stainless steel sink with a black glass lid and water tap hole. It is easy to clean and comes with a siphon and bung (a plug), it weighs just 2.9kg.

External Dimensions: 140H x 400W x 445D (mm)

Cut Out Dimensions: 387W x 429D (mm)

Capacity: 7.5L



800-04957

KITCHEN SINK 2011

Stylish and modern stainless steel sink and drainer with rounded corners and round bowl, complete with fitting brackets.

Length: 720mm

Wide: 440mm

Bowl Diameter: 365mm

Bowl Depth: 160mm



800-90500N

THETFORD BEZEL FOR SINKS (BLACK)

A rubber bezel suited to 800-90000N and 800-90002N and is sold per metre. Suitable for use as a sealant around the edges of a sink (instead of using a silicone sealant).



800-04992

SMEV SINK PLUG


A replacement plug to suit Smev sinks and has a 38mm diameter.



800-04994

SMEV PLUG AND WASTE KIT (STRAIGHT)

Plug and waste kit to suit SMEV sink (25mm straight)



800-04996

PLUG AND WASTE KIT TO SUIT SMEV SINK (25MM 90°)



800-90502N
SPINFLO 19MM
WASTE STRAIGHT



800-90504N
SPINFLO 19MM
WASTE ANGLED



800-05112
RUBBER SINK PLUG
 Red rubber sink plug 25mm with pull shackle.




800-04997
SMEV SINK RUBBER SEAL
 Black rubber seal for SMEV sinks, sold in 3m lengths.



800-05070
WHITE ACRYLIC RECTANGULAR BOWL
 Dimensions: 333mm x 284mm x 130mm



800-05080
WHITE ACRYLIC CORNER SINK BOWL
 Dimensions: 275mm x 275mm x 120mm



800-05090
WHITE ACRYLIC OBLONG HAND BASIN
 Dimensions: 493mm x 185mm x 124mm



WASTE OUTLETS

800-05150
WASTE OUTLET 25MM STRAIGHT WHITE



800-05152
WASTE OUTLET 25MM STRAIGHT GREY



800-05160
WASTE OUTLET 25MM 90° WHITE



800-05162
PLASTIC SILVER/GREY 25MM WASTE
OUTLET, 90°



EXTERNAL SHOWER BOX WATERMARKED

A lockable external shower unit with hot and cold mixer taps, perfect for cleaning up before entering your RV.

- > Can be mounted either vertically or horizontally with soap holder feature moulded into the body.
- > Hand Shower Holder can be fitted inside of the door to suit mounting orientation
- > Feature quarter turn ceramic disk valves so the fittings turn in the opposite direction remaining mirrored in the open position.
- > Watermarked Approved tap and fittings
- > Supplied with soft backing gasket

Dimensions: 325W x 200H x 99D (mm)

800-05900

EXTERNAL SHOWER BOX WATERMARKED - BLACK



800-05902

EXTERNAL SHOWER BOX WATERMARKED - WHITE



800-06000

AUX EXTERNAL SHOWER UNIT - BLACK

UV and impact resistant, it features an enclosed casing which prevents potential water leakage into the wall of your RV. Thanks to the large flange, it can easily be retrofitted into other external shower cutouts. It comes with a key to lock the lid when not in use and an adjustable water flow toggle lever.

Water Flow: 9.5L/min max.

Cut-out Dimensions: 150H x 279W (mm)

Total Depth: 119 (mm)



800-06002

AUX EXTERNAL SHOWER UNIT - WHITE

UV and impact resistant, it features an enclosed casing which prevents potential water leakage into the wall of your RV. Thanks to the large flange, it can easily be retrofitted into other external shower cut-outs. It comes with a key to lock the lid when not in use and an adjustable water flow toggle lever.

Water Flow: 9.5L/min max.

Cut-out Dimensions: 150H x 279W (mm)

Total Depth: 119(mm)



SHOWER HOSES

800-06028

HAND HELD SHOWER KIT

Includes hose, rose and bracket.



800-06030

EUTOPIA HAND HELD SHOWER KIT

Includes the hose, rose and bracket



800-06040

CHROME SHOWER HEAD KIT

Save water with this showerhead kit, thanks to a handy on/off switch that allows you to pause the water flow whilst you shampoo. This showerhead features four spray patterns from a gentle spray to hard rain. Each kit includes: a chrome showerhead, flexible shower hose (1.5m), washers, a wall mount and hardware.



HOT AND COLD SHOWER MIXERS**800-06102****EUTOPIA WHITE SHOWER MIXER
1/2" THREAD****800-06103****EUTOPIA CHROME SHOWER MIXER
1/2" THREAD****HAND PUMPS****800-06400****TROJAN HAND PUMP -
WHITE**

Has an efficient dual pumping action and its interior seals are made of polyurethane. Requires a 32mm hole.

**800-06404****TROJAN EPD HAND PUMP -
BLACK**

Has an efficient dual pumping action, its interior seals are made of polyurethane. Requires a 32mm hole

**800-06410****BREHA HAND PUMP
(PLASTIC SHAFT) WHITE****800-06414****BREHA HAND PUMP
(PLASTIC SHAFT) BLACK****800-06440****LOWBOY HAND PUMP**

Lowboy Manual Hand Pump White with Chrome Spout.

**800-06450****COAST CHROME HAND
PUMP**

Has a grey plastic shaft with chrome accents and spout.

**800-06499****LOWBOY HAND PUMP #131 REPAIR KIT****800-06610****SHOWER BASES**


White acrylic shower base.

Dimensions: 960 x 580 x 125mm

**800-06612****DELUXE SHOWER TRAY**

White acrylic tray

Dimensions: 683mm x 1010mm x 75mm



BATHROOM MODULE

800-06640

**VT90 SHOWER TRAY SECTION ONLY
- WHITE**

Dimensions: 830 x 670 x 55



800-06650

**VT90 MODULE LOWER BASIN SECTION
ONLY**

Dimensions: 820 x 670 x 160mm



800-06655

VT90 C400 TOILET SPACER



800-06660

**VT90 MODULE UPPER VANITY SECTION
ONLY WITH MIRROR DOORS**

Dimensions: 560H x 670W x 130D (mm)



800-06670

ACRYLIC SOAP HOLDER - WHITE

Dimensions: 328H x 220W x 90D



COAST WATERMARK CHROME BATHROOM FIXTURES

800-06700

**CHROME FLICK MIXER WITH 160MM
SPOUT**



800-06710

**CHROME FLICK MIXER WITH 190MM
SPOUT**



800-06720

CHROME SHOWER FLICK MIXER



800-06730

**CHROME SHOWER RAIL
with Hose, Rose and Soap Dish**



7

BATHROOM FITTINGS

800-06750**HIGH RISE SINK MIXER (35MM)**

Has a 4 star water rating, consuming 7.5L per minute. Comes with a 5yr manufacturer's warranty on the cartridge only.

**800-06760****COAST SHOWER MIXER (35MM)**

A wall mountable shower mixer, comes with a 5yr manufacturer's warranty (on the cartridge only).

**800-06770****COAST HIGH RISE SINK MIXER WITH 13CM SPOUT****800-06772****COAST WATERMARK RIGHT HAND TAP, FOLD DOWN FAUCET**

Right hand tap, fold down chrome faucet, conveniently folds down into the sink when not being used. Can be used for hot or cold water (red and blue buttons included).

Specifications

Height: 180mm (when fitted)

Height when folded: 70mm (when fitted)

Thread Size: 3/8 FBSP
WaterMarked Certified

**800-06774****COAST WATERMARK LEFT HAND TAP, FOLD DOWN FAUCET**

Left hand tap, fold down chrome faucet, conveniently folds down into the sink when not being used. Can be used for hot or cold water (red and blue buttons included).

Specifications

Height: 180mm (when fitted)

Height when folded: 70mm (when fitted)

Thread Size: 3/8 FBSP
WaterMarked Certified

**800-06776****COAST WATERMARK HOT AND COLD MIXER FAUCET WITH FOLD DOWN SPOUT**

Hot and cold mixer faucet chrome with folding/swivel spout.

Specifications

Height: 200mm (when fitted)

Height when folded: 70mm (when fitted)

Thread Size: 3/8 FBSP
WaterMarked Certified

**800-06900****TV15 1/2 MALE TEMPERING VALVE**

Cold Water Supply Temperature: 5°C - 30°C

Hot Water Supply Temperature: 60°C - 90°C

Set Temperature: 50°C standard
(must be commissioned onsite by installer)

Accuracy of Outlet Temperature: +/- 3°C
(as per AS4032.2)

Maximum Working Pressure (Static): 1400Kpa

Maximum Working Pressure (Dynamic): 500Kpa

Minimum Flow Rate: 3.6L/min under outlet pressure 10Kpa



800-06902

JG 12MM TEMPERING VALVE

Cold Water Supply Temperature: 5°C - 25°C

Hot Water Supply Temperature: 65°C - 80°C

Set Temperature: 50°C standard

Accuracy of Outlet Temperature: +/- 3°C

Maximum Working Pressure (Static): 16 Bar (1600Kpa)

Maximum Working Pressure (Dynamic): 5 Bar (500Kpa)

Minimum Flow Rate: 5.0L/min



FIAMMA BI-POTS

These Italian Bi-Pots are a simple, and strong, self-contained fresh water flushing portable toilet. They can be dismantled (valve inclusive) to facilitate a thorough cleaning and emptying is easy and hygienic thanks to the large discharge openings. Stainless steel side hooks securely lock the top tank to the waste tank ensuring no movement whilst in use. The waste tank is made of a one-piece moulding which means no nasty leaks and the release valve is watertight too with a handy anti-odour seal. Semi-transparent lids (on the waste outlet and the top tank inlet) help to keep track of each tank's internal level so you know when to empty or top up. Both tanks are scratch resistant.

850-00500

FIAMMA BI-POT 34

Top tank capacity: 15L

Waste tank capacity: 13L

Weight: 4.3kg



850-00502

FIAMMA BI-POT 39

Top tank capacity: 15L

Waste tank capacity: 20L

Weight: 4.4kg



850-00510

FIAMMA BI-POT 30

Top tank capacity: 10L

Waste tank capacity: 11L

Weight: 3.9kg



850-00592

FIAMMA SLIDE VALVE KIT FOR 1513,1520 AND BIPOT 30



850-00602

FIAMMA BI-POT TOP RUBBER SEAL FOR SLIDE VALVE



Coast to Coast

coastrv.com.au

311

7

FIAMMA BIPOTS

850-00612**FIAMMA BI-POT WHITE LOCKING SIDE
HINGE****850-00618****FIAMMA BI-POT LARGE CAP FOR TOP OR
BOTTOM TANK****850-00619****FIAMMA BI-POT LARGE CAP SEAL****850-00650****FIAMMA BI-POT 30 TOP TANK CAP**