CHASSIS

Mudguards and wheels	118
Hub and drum kits	119
Brakes and axles	119
Jockey wheels	121
Caravan movers	123
Couplings	BRIDG 125 LOAD
Camper Legs	
Springs & Shock Absorbers	GROSS 127
Vehicle steps	128







MUDGUARDS AND WHEELS



WHEEL ARCH 006543 SINGLE GALVANISED 30" 006544 TANDEM GALVANISED



WHEEL SPAT - SINGLE NEW STYLE MILLARD

- 036433 White
- Each

KLAMP IT WHEEL LOCKS 000402 - B KLAMP IT 13"-15" TYRE WIDTH 165MM-185MM

000403 - C KLAMP IT 13"-17" TYRE WIDTH 195MM-205MM

000404 - D KLAMP IT 15"-17" TYRE WIDTH 215MM-245MM

000405 - E KLAMP IT 14"-16" (4WD) TYRE WIDTH 265MM-285MM



WHEEL LOCK STRETCHMASTER 000406

The fastest way to ensure your motor vehicle, boat trailer, caravan, camper or box trailer stays secure. Fits up to 290mm wide wheels. Hardened steel and weighs under 3kg.




118



MUD GUARD - POLY PLASTIC Strong with steps on both sides as well as on top. Complete with mud flaps, brackets not included.

SMALL 10" WHITE SMALL 10" SILVER MEDIUM 13" WHITE MEDIUM 13" SILVER LARGE 14" WHITE LARGE 14" SILVER





STEEL ROAD WHEEL 036455 HT 14X 6



STEEL ROAD WHEEL, SUIT HOLDEN HO 036452

ALLOY WHEEL (VELOX) HUB MOUNT WITH TYRE 036470

10"



FORD WHITE 14" WHEEL 006615

WHEELS AND TYRES

- 043160 GALVANIZED 13" WHEEL WITH ALL TERRAIN TREAD FOR HT/FORD 165R13C TYRF
- 043161 13" WHITE POWDER COATED WHEEL TO SUIT FORD WITH 155/80 TYRF
- 036452 STEEL ROAD WHEEL, SUIT HOLDEN HQ 55MM BLACK
- 038357 STEEL ROAD WHEEL, SUIT
 - HOLDEN HR 330MM BLACK
- 036455 STEEL ROAD WHEEL, SUIT HOLDEN HT14XIN SUNRAYSIA BI ACK
- 006615 STEEL ROAD WHEEL, SUIT FORD 14X6IN SUNRAYSIA WHITE
- 036462 ALLOY WHEEL (VELOX) HOLDEN BEARING MOUNT WITH TYRE 200MM
- 036470 ALLOY WHEEL (VELOX) HUB MOUNT WITH TYRE 250MM 006608- DRESS RIM WHITE 14"



WHEEL SPAT -PAIR PLASTIC - LH/RH SUIT VISCOUNT SINGLE WHEEL 036432

• White



WHEEL SPAT - SINGLE PLASTIC WHITE 006642 • White

Each



MULTI-FIT SPARE WHEEL CARRIER 044652

- Suits 4,5 & 6 stud wheels
- Suits drawbar size 50-100mm
- Locking facility secures wheel and prevent theft



SPARE WHEEL MOUNT WELD ON 000511



SPARE WHEEL MOUNT BOLT ON 000512



SPARE WHEEL MOUNT JAYCO

BOLT ON 000515

WHEELS AND TYRE SPARE PARTS 000511 - SPARE WHEEL MOUNT WELD ON

- 000512 SPARE WHEEL MOUNT BOLT ON -STRAIGHT
- 000515 SPARE WHEEL MOUNT JAYCO BOLT ON
- 036426 SPARE WHEEL COVER WHITE 30MM
- 036428 SPARE WHEEL COVER BLACK 30MM 006635 - WHEEL STUD SUIT 7/16"X1&5/8"
 - HOLDEN
- 006636 WHEEL STUD SUIT 1/2"UNFX1&5/8" FORD
- 036187 WHEEL STUD SHORT SPLINE, 1/2"IND - 50MM SPEC
- 036186 WHEEL STUD LONG SPLINE, 1/2"IND - 55MM SPEC
- 036188 WHEEL STUD LONG SPLINE, 9/16"IND - 55MM SPEC
- 006638 WHEEL NUT 600 SUIT FORD 7/16"
- 006639 WHEEL NUT 600 SUIT FORD 1/2"

HUBS AND DRUM KITS



NON BRAKED HUB 036088

NON BRAKED HUBS 036088- MINI C/W STUDS, NUTS AND HOLDEN LM BEARINGS

036101- SUIT LANDCRUISER 6 STUD C/W STUDS NUTS AND HOLDEN LM BEARINGS

036096 - SUIT FORD S/L

Complete with studs, nuts, bearings and seals. All unbraked hub kits are manufactured from high grade ductile iron to give maximum achievable strength. For marine conditions, there are a range of hubs that are galvanised for additional strength. Most jus available with Ford (Slimline) bearing option



GALVANISED HUB KIT 040629 HUB KITS - GALVANISED

036102 042727



HQ HOLDEN 038751 BOXED HUB KITS - INCLUDES STUDS, NUTS, CUPS, CONES, CHINESE BEARINGS

038751 - HQ HOLDEN RETAIL BOXED C/W LM BEARINGS

042720- FORD 5 STUD RETAIL BOXED C/W STUDS NUTS STD SEAL L/M BEARINGS

042717- HT HOLDEN STUDS S/L BEARINGS



HUB DRUM KIT 036128

HUB DRUM KITS - ELECTRICAL

036128 - ELECTRICAL LANDCRUISER 250MM 5 STUD C/W STUDS, NUTS AND SLIMLINE BEARINGS

042712 - BOXED ELECTRIC FORD 10IN RETAIL BOXED, C/W STUDS ONLY

042737 - BOXED ELECTRIC LANDCRUISER 250MM 6 STUD RETAIL BOXED, C/W STUDS, NUTS JAP SLIMLINE BEARINGS

042738 - BOXED ELECTRIC FORD 250MM RETAIL BOXED, C/W STUDS, NUTS JAP SLIMLINE BEARINGS 042714 - BOXED ELECTRIC LANDCRUISER 250MM 6S TUD NO NUTS OR BEARINGS S/PARALLEL BEARINGS

9" DRUMS ALSO AVAILABLE





BRAKE PLATES AND SPARE PARTS 006340- BRAKE ASSY PLATE RIGHT HAND, **MECHANICAL 9IN** 006341 - BRAKE ASSY PLATE LEFT HAND, **MECHANICAL 9IN** 036107 - BRAKE PLATE HYDRAULIC 230MM LEFT HAND, NO PARK BRAKE 036108 - BRAKE PLATE HYDRAULIC 230MM RIGHT HAND, NO PARK BRAKE 036111 - BRAKE ASSY PLATE ELECTRICAL LEFT HAND, OFF ROAD 036112 - BRAKE ASSY PLATE ELECTRICAL **RIGHT HAND, OFF ROAD** 036113 - BRAKE ASSY PLATE 250X56 ELECTRICAL, TRAILTECH RIGHT HAND 036114 - BRAKE ASSY PLATE 250X56 ELECTRICAL, TRAILTECH LEFT HAND 033582 - BRAKE ASSY PLATE ELECTRICAL SUIT 12IN - PR 006333 - BRAKE ASSY PLATE RIGHT HAND WITH PARK BRAKE 250X56 (10X2) 006334 - BRAKE ASSY PLATE LEFT HAND WITH PARK BRAKE 250X56 (10X2) 006395 - ADAPTOR PLATE SUIT 40MM RND HOLE, FOR ELECT/MECH BACKING PLAT 006397 - ADAPTOR PLATE SUIT 45MM MECHANICAL/ELECTRIC

006336 - ADAPTOR PLATE MOUNT NUT ONLY 7/16" UNF



DISC BREAK HUB 036166

MECHANICAL DISC BRAKES 036166 - MECHANICAL DISC BRAKE HUB HT HOLDEN AL-KO GALVANISED C/W HOLDEN BEARINGS

038754- MECHANICAL DISC BRAKE HUB HT HOLDEN BOXED GALVANISED C/W SLIMLINE BEARINGS

038755- MECHANICAL DISC BRAKE HUB -FORD BOXED GALVANISED C/W SLIMLINE BEARINGS

036145 - MECHANICAL DISC BRAKE CALIPER

036159- MECHANICAL DISC CALIPER RETAINING SPRING

036158 - MECHANICAL DISC CALIPER BOLT

036163 - MECHANICAL DISC CALIPER MOUNTING BUSH

036147 - MECHANICAL DISC BRAKE ADAPTOR PLATE 40MM AL-KO VERSION



BEARING KIT 006565

BEARING CONES, CUPS AND KITS

- 036183 BEARING KIT SUIT HOLDEN, 4
- PIECE CHINA 006553- BEARING KIT SUIT HOLDEN INNER 2 PIECE

006556 - BEARING KIT SUIT FORD INNER 2 PIECE

- 006562 BEARING KIT COMPOSITE, BLISTER PACK KIT
- 006563 BEARING KIT HOLDEN, BLISTER PACK KIT

006565 - BEARING KIT FORD, BLISTER PACK KIT

- 038325 BEARING KIT (2000KG)
- 006560 BEARING SET PARALLEL SUIT FORD, 2 X INNER BEARINGS AND CONES
- 036180 BEARING SUPER SEAL SUIT FORD, 2PIECE SLIMLINE
- 006555 BEARING SUIT FORD INNER 2 PIECE LM68149/10

BRAKES AND AXLES





10" OVAL, SUITS HAYES AND AL-KO 006384

BRAKE MAGNETS

006384 - 10" OVAL, SUITS HAYES AND AL-KO

034873 - 12" OVAL AL-KO 006388 - LEFT HAND OFFROAD AL-KO 10" 006389 - RIGHT HAND OFFROAD AL-KO 10"

006385 - CLIP FOR KELSEY OVAL MAGNET 006387 - BRAKE ARM RIGHT HAND OVAL MAGNET KELSEY



HYDRAULIC DISC BRAKE CALIPER 034170



HYDRAULIC MASTER CYLINDER 006346

HYDRAULIC BRAKE SPARE PARTS

034170 - HYDRAULIC DISC BRAKE CALIPER AL-KO DACROMET COATED 006346 - HYDRAULIC MASTER CYLINDER 3/4"

006350 - HYDRAULIC MASTER CYLINDER CAP ONLY SUIT 3/4IN

036153 - HYD DISC BRAKE CALIPER TRIGG A200M

036162 - HYD DISC BRAKE PAD TROJAN AL-KO 341103



BRAKE SHOES 040625

BRAKE SHOES

120

040625 - 10" EL PR/SET PAIR PART NO 339135BX 034871 - 12" PRIMARY AL-KO 339122 034872 - 12" SECONDARY AL-KO 339123 006390 - 101NY2AND1/4 PRIMARY

034872 - 12" SECONDARY AL-KO 339123 006390 - 10INX2AND1/4 PRIMARY 006391 - 10INX2AND1/4 SECONDARY







BEARING BUDDIES 006574



BEARING BUDDY COVER 006575



RUBBER DUST CAP 036478

BRAKE SPARE PARTS

036218 - MECHANICAL PARKING MECHANISM AL-KO 006361 - BRAKE CABLE ADJUSTER WITH PULLEY 006362 - BRAKE CABLE PULLEY 006370 - BRAKE CABLE KIT (8M+ADJ+2CLIPS+2PULLEYS) 006372 - WIRE CABLE CLAMP ONLY 5MM GAL 038134 - OIL SEAL 2 TONNE 006558 - OIL SEAL HOLDEN DOUBLE LIP STUB AXLE (2.328" X 1.437" X 0.4") 006559 - OIL SEAL SLIMLINE 036194 - WIRE CABLE CLAMP ONLY 4MM 006375 - CABLE SWAGE 2.5MM 006568 - DUST CAP - METAL 036478 - DUST CAP RUBBER SUIT VELOX 006569 - DUST CAP METAL SUIT 1.5/2T AXLE, 2 1/2IN 006574 - BEARING BUDDIES W COVER AL-KO STEEL RETAIL PACK 006575 B- EARING BUDDIES COVER ONLY



AL-KO 12" OFF ROAD MAGNET 050087 - LEFT HAND 050088 - RIGHT HAND

STRAIGHT AXLE

This style of axle is usually used on domestic or boat trailers and anywhere the height of the trailer is not a major consideration.

40MM SQUARE 1000KG EACH

40MM SQUARE 1000M	JLACH
036015 - 1397MM LM	M MACHINED PROFILE
036024-1650MM LM	M MACHINED PROFILE
036027-1727MM LM	M MACHINED PROFILE
036036-1956MM LM	M MACHINED PROFILE
036020-1549MM LM	M MACHINED PROFILE
036051-2337MM LM	M MACHINED PROFILE
45MM SQUARE 1450K	GEACH
036063- 1702MM SL	IMLINE MACHINED
PROFILE	
036064- 1727MM SL	IMLINE MACHINED
PROFILE	
036065- 1778MM SL	IMLINE MACHINED
PROFILE	
036066 - 1829MM	SLIMLINE MACHINED
PROFILE	
036071 - 2108MM	SLIMLINE MACHINED
PROFILE	
036072 - 2185MM	SLIMLINE MACHINED
PROFILE	
036076 - 2362MM	SLIMLINE MACHINED
PROFILE	



STUB AXLE

036078 - 39MM ROUND 200MM SHORT 036079 - 39MM ROUND 250MM LONG 036080 - 45MM SQUARE 200MM 036083 - 45MM ROUND 280MM LONG 036084 - 39MM SQUARE 200MM SHORT 036085 - 40MM SQUARE 250MM LONG 036086 - 45MM SQUARE 305MM



GALVANISED U BOLTS WITH NYLOC NUTS

042592 - U-BOLT GALVANISED 39MM ROUND 042593 - U-BOLT GALVANISED 40MM SQUARE 042594 - U-BOLT GALVANISED 45MM SQUARE

JOCKEY WHEELS

OFF ROAD JOCKEY WHEEL

500KG RATED
750KG RATED
SPARE HANDLE

The Extreme Off Road Series Jockey Wheels is probably the toughest, most advanced Jockey Wheel in Australia today. But not only is it tough, it's also versatile - with multiple height options, a highly maneuverable trailing yoke design and 5 different yoke locking positions. Makes moving easy both on and off road.

FEATURES:

- Magnetic, removable, side-winding handle
- Easier raising & lowering of trailers/caravans away from stone guards, toolboxes or jerry can holders
- Magnetic, removable handle ensures safe stowage and prevents damage in offroad situations
- Heavy duty body available in 500kg or 750kg rating
- Increases load carrying capacity and eliminates the likelihood of "bend" under weight 4 x adjustable height positions
- 250mm height adjustability at each of the 4 positions, whilst maintaining a central swivel point for extra strength
- Heavy duty swivel clamp
- 4 bolt pivot point ensures no more bowing under weight
- Suitable for 75mm, 100mm, 130mm and 150mm drawbars
- Comes with mounting hardware no more welding onto drawbars
- Wheel pivots easily, even under heavy load or on soft ground
- Dual wheel with sealed bearings & offroad tread
- Increases offroad grip and spreads the load
- Variable yoke lock
- Rust resistant finish

TRAIL-A-MATE HYDRAULIC JOCKEY WHEEL AND JACK


A hydraulic jockey wheel that converts in to a jack when you need it. You simply swap the wheel for a solid base plate. The key features of the Trail-A-Mate are as follows:

- Capacity WLL 1,000kg / ATM 2,900kg
- · Versatility Easily converts from a jockey
- wheel to a jack
- Ease of Use Being hydraulic it takes very little effort to operate
- Safety Fully complies with the Australian mandatory safety standards (2693:2007)

It has many applications and uses such as caravanning, horse floats, trailers, food vans, motorhomes.

FFATURES.

- · For stress free raising and lowering of caravans, boats and trailers
- Safety nonslip lugs built in
- No need to climb under the vehicle to jack it up
- Suitable for most jockey wheel brackets
- Both a jack and jockey wheel
- Trail-A-Mate safe working load of 1000kg when base is fitted
- Trail-A-Mate II safe working load of 1500kg when base is fitted



TRAIL-A-MATE MKII

- 000417 TRAIL-A-MATE JOCKEY WHEEL, HYDRAULIC, LIFTING CAPACITY 1000KG
- 040981 TRAIL-A-MATE MKII JACK, HYDRAULIC, LIFTING CAP 1500KG NO WHEEL (JACK ONLY)
- 000431 TRAIL-A-MATE SIDEWINDER JACK LIFTING CAPACITY 500KG

000429- TRAIL-A-MATE JACK HANDLE ONLY

000420 - TRAIL-A-MATE LIFTING CLAMP

- 000418 TRAIL-A-MATE BASE PLATE
- 000421 TRAIL-A-MATE KIT INCL FORK WHEEL PIN
- 000427 TRAIL-A-MATE SERVICE KIT

000422 - TRAIL-A-MATE JACK BRACKET ONLY

036666 - TRAIL-A-MATE WHEEL ONLY

- 043244 TRAIL-A-MATE SERVICE KIT FOR MKII
- 042460 TRAIL-A-MATE CLAMP 60MM
- 043965 TRAIL-A-MATE JACK SCREW
- 044955 TRAIL-A-MATE LIFTING CLAMP
- 044976 TRAIL -A-MATE WHEEL

JOCKEY WHEELS





JOCKEY WHEEL WITH SMALL CLAMP 50 X 50 FRAME BOLT OR WELD ON 036244 - 6" SMALL BRACKET 006416 - AL-KO STANDARD WITH SMALL SWIVEL



JOCKEY WHEELS WITH LARGE SWIVEL CLAMP 50, 75, 100MM HIGH A FRAMES. **BOLT OR WELD ON**

006410 - 8" LARGE SWIVEL PLATE 006406 - 6" LARGE SWIVEL PLATE 038561 - 350 X 410MM SWIVEL PLATE





SWIVEL CLAMP AL-HEX CRANK HANDLE KO BOLT ON 036263 - CAMEC 043248 0043249

JOCKEY WHEEL AND STAND SPARE PARTS

- 043248 HEX CRANK HANDLE CAMEC 670MM LONG
 - 043249 HEX CRANK HANDLE CAMEC 780MM LONG
 - 039993 CLAMP ARK BOLT ON
 - 036263 SWIVEL CLAMP AL-KO BOLT ON
 - 006424 PULLING HANDLE AL-KO FOR
 - MOVING THE VAN ABOUT
 - 000410 RECEIVER RUBBER
 - 006429 RUBBER WHEEL AL-KO SUIT 8"X2"X1/2" SOLID STEEL WHEEL
 - WITH RUBBER TYRE 006433 - RUBBER TUBE ONLY SUIT 250X4
 - 006437 RUBBER TUBE ONLY SUIT 410X350
 - 006452 RUBBER WHEEL FOR BACK LEG 3IN
 - 036266 RUBBER TYRE ONLY SUIT 4.10 X 3.50 X 4 PLY
 - 036270 TYRE AND TUBE ARTWELL COMPLETE PNEUMATIC TYRE AND **TUBE SUIT SIZE 410X350**
 - 006425- BOLT AND WASHER KIT SUIT AL-KO 1/2" JOCKEY WHEEL CLAMP
 - 036247 UBOLT KIT SUIT AL-KO J/WHEEL 75W X 75L
 - 036246 UBOLT KIT SUIT AL-KO JOCKEY WHEEL 100W X 75L
 - 006428 RUBBER WHEEL 6X2X1/2" SOLID 006438 - HANDLE ONLY FOR JOCKEY
 - WHEEL AL-KO
 - 006440 THRUST BEARING JOCKEY WHEEL 6X2"
 - 036264 HANDLE ONLY JOCKEY WHEEL 2/ LFT HAN6

JOCKEY WHEEL NO CLAMP OR STANDARD CLAMP REMOVABLE 006404 - AL-KO STANDARD NO CLAMP 6" 150MM 006408 - JOCKEY WHEEL 8X2 W/STD CLAMP 038556- AL-KO STANDARD WITH CLAMP

350MM X 410MM 042352 - AL-KO STANDARD NO CLAMP 8"

200MM



POWER MOVER WITH SOLID WHEEL (AL-KO) 038543

000464 SPARE HANDLE

A most efficient caravan mover featuring original dual pawl ratchet system. This model can be mounted on either side of the drawbar, thereby allowing maximum manoeuvrability. It is fitted to the normal jockey wheel bracket and can be wound up to a height of 840mm.

FEATURES:

122

- Ratchet jockey wheel
- Assists the manual movement of a caravan or trailer
- Includes handle and clamp
- 250mm diam



CLAMP ONLY FOR CAMEC JOCKEY WHEEL



making anywhere home

EASYLIFT ADJ STAND NO CLAMP 27" 006445

AL-KO ADJUSTABLE STAND AND CLAMP 006450 006451

JOCKEY STANDS - VARIOUS

039992 - ARK ADJUSTABLE STAND WITH SWIVEL BRACKET - SIDE WINDER 006445 - EASYLIFT ADJ STAND NO CLAMP

- 27" 006450 - AL-KO ADJUSTABLE STAND AND
- CLAMP 14"

006451 - AL-KO ADJUSTABLE STAND AND CLAMP 20"

042292 - JOCKEY WHEEL TWIN WHEEL HEAVY DUTY WITH SOLID WHEELS, INC CLAMP AND LOAD CAPACITY 1000KG



LARGE JOCKEY WHEEL HOLDER 050029

SPECIFICATIONS:

- Size: 204 x 204 x 35mm
- Can be pegged to the ground suits 6 ",8" and 10" jockey wheels

CARAVAN MOVERS





CARAVAN MOVER ELITE® 2

043321

- Economical and effective solution for manoeuvring your caravan
- Aluminium rollers that are friendly to tyres
- Optimum compact design, reasonable ground clearance, suitable . for almost any light duty single axle chassis

- Corrosion-protected by e-coating and powder coating Easy winding action to engage or disengage the roller. The powerful motor will not allow the RV to roll while being . manoeuvred on a gradient (Do not use the system as a brake. Always disengage rollers when not in use)
- Caravan/trailer stops immediately and automatically if it is out of range of the remote control or there is malfunction
- Not submersible

CAMEC

CARAVAN MOVER ELITE® PRO 2

- 043322
- Accurate and durable gearing
- Aluminium rollers that are friendly to tyres
- Simply by pressing the button on remote control handset the rollers will properly engage or disengage on the tyres
- Manoeuvre your caravan effortlessly with soft stop and start
 The powerful motor will not allow the RV to roll while being manoeuvred on a gradient (Do not use the system as a brake. Always disengage rollers when not in use)
- · Caravan/trailer stops immediately and automatically if it is out of range of the remote control or there is malfunction
- If you forget to disengage the rollers, an emergency function will wind them back if it is connected to a tow vehicle.
- Not submerisble

MODEL	ELITE° 2 EM303		MODEL		ELITE [®] PRO 2 EM305
PART NUMBER	043321		PART NUMBER		043322
OPERATIONAL VOLTAGE	12V DC		OPERATIONAL VOLT	AGE	12V DC
AVERAGE CURRENT CONSUMPTION	20 AMPS		AVERAGE CURRENT		30 AMPS
MAXIMUM CURRENT CONSUMPTION	100 AMPS		MAXIMUM CURREN	т	120 AMPS
REMOTE CONTROL TRANSMITTING FREQUENCY	868 MHZ		REMOTE CONTROL TRANSMITTING FRE	QUENCY	868 MHZ
SPEED	90MM / SEC.		SPEED		110MM / SEC.
WEIGHT	37KG APPROX.		WEIGHT		33KG APPROX.
SAFE WORKING LOAD (SWL)	1,800KG(2 MOTO 1,500KG ON AN 18	·	SAFE WORKING LOA	AD (SWL)	2,000KG (2 MOTORS) OR UP TO 1,750KG ON AN 18% GRADIENT
	2,500KG (4 MOTOF 1,800KG ON AN 18	·			3,000KG (4 MOTORS) - UP TO 2,350KG ON AN 18% GRADIENT
MINIMUM WIDTH (CARAVAN/TRAILER)	1800MM		MINIMUM WIDTH (CARAVAN/TRAILER	2)	1800MM
MAXIMUM WIDTH (CARAVAN/TRAILER)	2500MM		MAXIMUM WIDTH (CARAVAN/TRAILER	2)	2500MM
MAXIMUM TYRE WIDTH	205MM		MAXIMUM TYRE WI	отн	205MM
SPARE PARTS 042626 ALUMINIUM ROLLER IN PAIR FO ELITE MOVER 042625 CONTROL UNIT FOR CAMEC ELI 042630 MOTOR BRUSHES FOR CAMEC E 042624 REMOTE HANDSET FOR CAMEC 042636 FUSE HOLDER AND FUSE FOR C AND ELITE PRO 042635 ALUMINIUM ROLLER IN PAIR FO ELITE PRO MOVER 042634 CONTROL UNIT FOR CAMEC ELI MOVER 042637 MOTOR BRUSHES FOR CAMEC E	R CAMEC 04349 04349 04349 ITE MOVER 04349 LITE MOVER 04349 AMEC ELITE 04366 R CAMEC 04366 ELITE PRO 04366	3 WALL HOLDER FOR REI ELITE AND ELITE PRO4 COMPLETE MOTOR PAR	TE PRO ATES SET OF 2 WITH R ELITE R ELITE PRO MOTE HANDSET FOR RT B FOR RT B FOR ELITE PRO	043676 CO FO 043677 CO 043678 EN 043679 EM 043680 CO 043681 EN 043682 EN EL	MOTE HANDSET SERIES 2 FOR ELITE PRO DNTROL BOX SERIES 2 ELECTRONICS IR ELITE NITROL BOX SERIES 2 ELECTRONICS IR ELITE PRO IGAGING MOTOR FOR ELITE PRO IERGENCY KEY FOR ELITE AND ELITE PRO INVOLUTED CABLE TRUNKING 4M IGAGING GEARBOX FOR ELITE IGAGING GEARBOX COVER FOR ITE IN SWITCH WITH KEY & WALL MOUNTING

CARAVAN MOVERS



TRAILER VALET MOVER

042965

Manual mover designed for trailers up to 2,200kg with a ball weight of up to 220kg. Perfect for small caravans, campers and car trailers. Very simple to use.

FEATURES:

- Attaches to your A-frame and can replace your jockey wheel
- Patented drive system with high and low drive gears (select high or low gear depending on your terrain)
- Brake is incorporated in the system for safety
- Unit can be rotated out of the way on the mount for travel or removed completely
- Spare mounting plates are available to enable you to move the Trailer Valet from one vehicle to another easily

SPECIFICATIONS:

- Weight: 20.5kg
- High quality steel with powder-coated hammer finish
- 2 x 9" pneumatic tyres

TRAILER VALET XL MOVER

043705

The Trailer Valet XL is the toughest and most compact trailer dolly. Sharing the same great features as its little brother, but with a few upgrades. The XL moves most trailers up to 4,500kg just using a crank handle or an 18V drill. It features dual, 9" tyres that can handle a ball weight of up to 400kg and positraction technology for making tight turns. The automatic brake engages when the handle is released for superior safety, making it ideal for large caravans, boats, construction and farm equipment, horse floats and flat bed trailers.

FEATURES:

- Handles most trailers weighing up to 4,500kg (450kg tongue weight)
- Patented ball attachment mechanism for quick attachment and greater maneuverability
- High strength pneumatic tyres that can withstand 225kg of pressure per tyre
- A greater gear reduction to make cranking even easier
- High quality steel with powdercoat hammer finish
- Brass bearings
- Drill attachment that enables the user to attach most 18V cordless drills
- Automatic safety brake
- One year manufacturer's warranty
- · Positraction for maximum traction and ease of handling

SPECIFICATIONS

- Tow ball coupling ball size: 50mm
- Weight: 23.5kg





TRAILER VALET BRAKE CAP HANDLE 042969



TRAILER VALET CRANK HANDLE 042968



124





TRAILER VALET DRILL ATTACHMENT 043706

TRAILER VALET TYRE AND TUBE 2X9" 042967

COUPLINGS



D035 COUPLING V3-R 044634

The V3-R version of the DO35 is without a handbrake and ideal for caravans with a preexisting handbrake mounted elsewhere on the A-frame.

SPECIFICATIONS:

- Articulation: 360 degrees axial, minimum 70 degrees other axes
- Locking: Fully ADR 62/02 compliant including automatic secondary lock
- Finish: Supa Alloy 5
- Bolt pattern: 4 bolts at 185mm x 54mm
- Rating: 3.5 Tonne
- Action: Drop-On
- Maintenance: Fully Greasable

DO35 COUPLING SPARE PARTS

044636 - DO35 BI-LOCK PIN ASSY 044637 - DO35 FORGED TOW PIN 7/8 044638 - COVER DO35 TOWING PIN V3 044639 - C-SPANNER UNIVERSAL 044640 - DO35 TOW PIN WF KIT 044641 - DUST CAP C/W LANYARD V2 044642 - DUST CAP C/W LANYARD V3 044643 - WDH HR 550/750 - ADAPTOR 044644 - STANDARD WDH ADAPTOR KIT



U BRACKET AND SPRING 006295



MECHANICAL COUPLING 006300

TREG POLYBLOCK COUPLING AND ACCESSORIES

- 006300 COUPLING MECHANICAL OVERRIDE TREG POLYBLOCK BOLT ON, AX LOAD 3000KG, NO HAND BRAKE
- 006301 COUPLING TREG POLYBLOCK WELD ON, MAX LOAD 3000KG, NO HAND BRAKE (WELD ON WITH 3/4 PIN)
- 006295 COUPLING U BRACKET AND SPRING PIN TREG DETACHABLE

042605 - OVERRIDE COUPLING TREG POLYBLOCK COUPLING ONLY, CAST OLT ON, MAX LOAD 3000KG

- 042608 SPRING PIN TREG YELLOW ZINC PLATED
- 006293 COUPLING SPRING AND LYNCH PIN TREG SPRING AND LYNCH IN KIT TO SUIT TREG COUPLING



DO35 COUPLING V3-I WITH INTEGRATED HANDBRAKE 044635

Forged steel, high quality polyurethane, laser cut stainless steel and precision casting has been brought together to increase the couplings strength yet also reduce weight. This updated DO35 is over 50% stronger than the outgoing model. These advanced processes have also allowed the elimination of hitch adaptors allowing you to get on the road with less fuss.

SPECIFICATIONS:

- Articulation: 360 degrees axial, minimum 70 degrees other axes
- Locking: Fully ADR 62/02 compliant including automatic secondary lock
- Finish: Supa Alloy 5
- Bolt pattern: 4 bolts at 185mm x 54mm
- Rating: 3.5 Tonne
- Action: Drop-On



MECH BRAKE ARM ATTACHMENT AL-KO 044568

This ALKO Lever Hand Brake and Mounting Plate suits the ALKO Mechanical Override Coupling System.



OVERRIDE COUPLING 006281 OVERRIDE COUPLINGS 006281 - COUPLING HYDRAULIC **OVERRIDE AL-KO WITH** HANDBRAKE & 3/4" MASTER CYLINDER MAX LOAD 2000KG

006317- COUPLING HYDRAULIC BRACKET WITH MASTER CYLINDER

006285 - COUPLING MECHANICAL OVERRIDE AL-KO ZINC PLATED, MAX LOAD 2 TONNE, NO HAND BRAKE, ARM ATTACHMENT



COUPLING FIXED PRESSED METAL AL-KO AK7 006276 Zinc plated, 760kg max load.



COUPLING ELECTRICAL AL-KO ZINC PLATED 006280

Suits electric brakes. Quick release, 4 hole bolt on, 3500kg max load. 50mm Ball



4WD COUPLING 040837

COUPLING MECHANICAL

006278 - COUPLING QUICK RELEASE AL-KO ZINC PLATED, BOLT ON, 2 HOLE, 2000KG MAX LOAD, HEAD ADJUSTING SCREW

036199 - COUPLING QUICK RELEASE BOLT ON, 3 HOLE, 2270KG MAX LOAD, HEAD ADJUSTING SCREW

006283 - COUPLING QUICK RELEASE TRIGG, OVERRIDE, BOLT ON, NO BRAKE ARM, N2000KG MAX LOAD

006302 - COUPLING 4WD FIXED 3PCE TRIGG, OFF ROAD, FULL 360 DEGREE ROTATION, TOWBAR ADAPTOR, POLYBLOCK WITH BRASS BUSHES AND 10MM PIN

COUPLINGS

COUPLING SPARE PARTS

036216 - DETACHABLE PIN ASSEMBLY TRIGG 006312 - REVERSING LATCH TRIGG 006315 - HANDBRAKE PLATE SUIT TRIGG COUPLING 034823 - POLY BLOCK TOWBAR ADAPTOR TRIGG 036221 - COUPLING REVERSING CATCH AL-KO 006323 - COUPLING TRIGGER AL-KO 006332 - COUPLING TRIGGER SPRING AL-KO 006327 - COUPLING ADJUSTABLE SCREW AND NUT KIT AL-KO 041490 - COUPLING LOCK RING AL-KO SUIT AKS2000 OFFROAD COUPLING 006294 - COUPLING LYNCH PIN CLIP **TREG SIZE 6MM** 006299 - SPRING PIN WITH LOCK TREG KIT CONTAINS COUPLING PIN AND LOCK FOR TREG POLYBLOCK 039997 - COUPLING MOUNT BOLTS SET OF 3 (1 1/2" X 1/2") 039998 - COUPLING MOUNT BOLTS SET OF 4 (4" X 1/2") 042784 - D-SHACKLE AND BRIM GAL 10MM RATED 1000KG 042785 - D-SHACKLE AND BRIM GAL 11MM RATED 1500KG 042786 - D-SHACKLE AND BRIM GAL

- 13MM RATED 2000KG 042783 - D-SHACKLE AND BRIM GAL 8MM RATED 750KG
- 006723 D SHACKLE AND BRIM 10MM ZINC PLATED, UNRATED
- 006724 D SHACKLE AND BRIM 8MM UNRATED

CAMPER LEGS



HANDLE, TRIGGER, SPRINGS, SPINDLE 006305- TRIGG SAFETY CATCH SPRING

006307 - TRIGG SAFETY LOCKING PIN





QUICK RELEASE COUPLING 036199







ADJUSTABLE FRONT LEG 006470

ADJUSTABLE CORNER STEADIES

- 006469 ADJUSTABLE LEG FRONT MANUTECH SUIT HEX HANDLE 500MM LENGTH 006470 - ADJUSTABLE LEG FRONT MANUTECH SUIT SLOTTED HANDLE 500MM
- LENGTH 006471 - ADJUSTABLE LEG FRONT MANUTECH
- SUIT HEX HANDLE 600MM LENGTH 006473 ADJUSTABLE LEG REAR MANUTECH SUIT SLOTTED HANDLE 500MM LENGTH
- 006457 ADJUSTABLE LEG FRONT DYMWOOD
- SUIT SLOTTED HANDLE 18" LENGTH 006476 ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 500MM LENGTH 006479 - ADJUSTABLE LEG REAR AL-KO SUIT
- HEX HANDLE 500MM LENGTH 006477 - ADJUSTABLE LEG FRONT AL-KO SUIT
- HEX HANDLE 600MM LENGTH
- 006480 ADJUSTABLE LEG REAR AL-KO SUIT HEX HANDLE 600MM LENGTH 006478 ADJUSTABLE LEG FRONT AL-KO SUIT HEX HANDLE 700MM LENGTH
- 006481 ADJUSTABLE LEG GALVANISED AL-KO SUIT HEX HANDLE 500MM TOP MOUNT
- TO SUIT JAYCO 006482 ADJUSTABLE LEG GALVANISED AL-KO SUIT HEX HANDLE 700MM TOP MOUNT TO SUIT JAYCO

Ensure the caravan or trailer is secure and even when stationary. Adjustable corner steadies are available in positive drive wind-down or dropdown models. Corner steadies are not designed as a jack and must not be used for this purpose.





ADJUSTABLE DROP DOWN LEG 034280

DROP DOWN CORNER STEADIES

- 034280 ADJUSTABLE LEG MANUTEC WELD ON WITH LARGE ALUM FOOT 400MM LENGTH 240MM LIFT
- 042816 ADJUSTABLE LEG QUICK RELEASE MANUTEC WELD ON WITH LARGE ALUM FOOT 620MM LENGTH 240MM LIFT
- 006488 ADJUSTABLE LEG DROP DOWN MANUTEC SUIT HEX HANDLE 415MM LENGTH
- 006489 ADJUSTABLE LEG DROP DOWN MANUTEC SUIT HEX HANDLE 455MM LENGTH
- 006490 ADJUSTABLE LEG DROP DOWN MANUTEC SUIT HEX HANDLE 515MM LENGTH
- 006483 ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 590MM LENGTH EXTENDED
- 006485 ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 740MM LENGTH EXTENDED
- 042662 ADJUSTABLE LEG DROP DOWN CORNER STEADY AL-KO WITH BIG FOOT PAD SET, SUIT HEX HANDLE 820MM LENGTH EXTENDED

Drop down corner steadies provide convenient and stable platforms when used on a caravan or trailer.



CORNER STEADY PADS 006486

ADJUSTABLE LEGS AND DROP **DOWN CORNER STEADIES SPARE PARTS**

- 006486 DROP DOWN CORNER STEADY PADS AL-KO BIG FOOT SET 4 PROVIDES AN IDEAL FLAT LOAD BEARING SURFACE
- FOR SOFT GROUND 040233 DROP DOWN CORNER STEADY PLASTIC FOOT MANUTEC PLASTIC FOOT ONLY
- 040234 DROP DOWN CORNER STEADY ALUMINIUM FOOT MANUTEC ALUMINIUM FOOT ONLY
- 006500 1150MM HANDLE (HEX) AL-KO HEX DRIVE
- 006484 DROP DOWN CORNER STEADY RED HANDLE AL-KO, REPLACEMENT HANDLE ONLY
- 006493 ADJUSTABLE LEG HANDLE ARTWELL SLOTTED HANDLE, 565MM OVERALL SIZE
- 006494 ADJUSTABLE LEG HANDLE ARTWELL SLOTTED HANDLE, 720MM OVERALL SIZE
- 006498 JACK HANDLE DYMWOOD MILLARD
- OLD STYLE JACK HANDLE 042054 ADJUSTABLE LEG DROP DOWN PULL PIN ASSY AL-KO TO SUIT AL-KO LEG
- 006487 ADJUSTABLE LEG HANDLE SUITS MANUTEC QUICK RELEASE SWING DOWN LEG
- 043248 CRANK HEX HANDLE 670MM 043249 CRANK HEX HANDLE 780MM

TRIGG COUPLING 4WD 006302

SPRINGS AND SHOCK ABSORBERS




NYLON BUSH 006535 **SPRING KIT AND SPARE PARTS**

- 006535 NYLON BUSH 1 3/4 X 9/16 X 3/4IN
- 036386 NYLON BUSH 60MM X 7/8 X 5/8IN 038810 - SHACKLE BOLT AL-KO
- GREASEABLE, M16 038532 - SHACKLE PLATE AL-KO BLACK, M16
- 036379 SHACKLE PLATE GALVANISED, 9/16" HOLES, 75MM CENTRE TO CENTRE
- 006526 SHACKLE PLATE 9/16" HOLES, **75MM CENTRE TO CENTRE**
- 036378 SHACKLE PLATE GALVANISED, 1/2" HOLES, 65MM CENTRE TO CENTRE
- 006576 LUBRIMATIC MARINE GREASE 454GM TUB
- 006579 HIGH TEMP BEARING GREASE 500GM TUB



U-BOLTS AND KITS

• • • • • • • • • • • • • • • • • • • •	
036391 - BLACK SQUARE 115MMMM X 40MN 1/2" WHITWORTH SQUARE	1
036394 - BLACK SQUARE 140MM X 40MM 1/2" WHITWORTH SQUARE	
006522 - BLACK SQUARE 125MM X 45MM 1/2" WHITWORTH SQUARE	
006523 - BLACK SQUARE 140MM X 45MM 1/2" WHITWORTH SQUARE	
006524 - BLACK SQUARE 150MM X 50MM 1/2" WHITWORTH SQUARE	
036401 - ZINC SQUARE 75MM X 55MM 1/2" WHITWORTH SQUARE	
036402 - ZINC SQUARE 75MM X 100MM 1/2" WHITWORTH SQUARE	
036403 - ZINC SQUARE 100MM X 75MM 1/2" WHITWORTH SQUARE	
036404 - ZINC SQUARE 100MM X 40MM 1/2" WHITWORTH SQUARE	
036405 - ZINC SQUARE 100MM X 100MM 1/2" WHITWORTH SQUARE	
036407 - ZINC SQUARE 130MM X 56MM 1/2" WHITWORTH SQUARE	
036408 - ZINC SQUARE 115MM X 40MM 1/2" WHITWORTH SQUARE	
036410 - ZINC SQUARE 125MM X 45MM 1/2" WHITWORTH SQUARE	
036411 - ZINC SQUARE 125MM X 50MM 1/2" WHITWORTH SQUARE	
036412 - ZINC SQUARE 140MM X 40MM 1/2" WHITWORTH SQUARE	
036413 - ZINC SQUARE 140MM X 45MM 1/2" WHITWORTH SQUARE	
036414 - ZINC SQUARE 150MM X 40MM 1/2" WHITWORTH SQUARE	
036415 - ZINC SQUARE 150MM X 50MM 1/2" WHITWORTH SQUARE	
036416 - ZINC SQUARE 165MM X 45MM 1/2" WHITWORTH SQUARE	
036417 - ZINC RND 100MM X 40MM 1/2" WHITWORTH ROUND	
036418 - ZINC RND 125MM X 40MM 1/2" WHITWORTH ROUND	
036419 - ZINC RND 125MM X 45MM 1/2" WHITWORTH ROUND	
036420 - ZINC RND 125MM X 50MM	





SLIPPER SPRING (CAPACITY LISTED FOR 2 SPRINGS)

036328 - 45 X 6 610 7 LEAF 1350KG 040758 - 44 X 6 X 720 5 LEAF 900KG 040757 - 44 X 6 X 720 6 LEAF 1050KG 036333 - DACROMET 3 LEAF 600KG 036334 - DACROMET 4 LEAF 750KG 036335 - DACROMET 5 LEAF 1000KG 036336 - DACROMET 6 LEAF 1200KG 036337 - DACROMET 7 LEAF 1350KG



ROCKER ARM 036360

SPRING KIT AND SPARE PARTS

- 036360 TANDEM FABRICATED ROCKER ARM WITH BUSHES, SUITS 45MM SPRING
- 041499 TANDEM ROCKER SPRING ROCKERS SUIT 60MM SHACKLE SPRING, 18MM PIN, 202MM CENTRE
- 036364 FRONT U HANGER WITH 12MM HOLE 45MM WIDE
- 036365 FRONT U HANGER WITH 14MM HOLE 45MM WIDE
- 038133 CENTRE ROCKER PIN AL-KO M18 036367 - REAR HANGER BLOCK NO BUSH, 22MM I.D.
- 036368 REAR U HANGER SUIT SLIPPER SPRING
- 036375 SHACKLE BOLT 3AND1/2" X1/2" WHIT
- 036369 SHACKLE BOLT AND NUT 3 1/2"X9/16" GREASEABLE
- 036370 SHACKLE BOLT AND NUT 3 1/2"X5/8" GREASEABLE
- 036371 SHACKLE BOLT AND NUT 3 1/2"X9/16" NON-GREASE 036372 - SHACKLE BOLT AND NUT 3
- 1/2"X5/8" NON-GREASE
- 036387 AXLE PAD SUIT FLAT AXLE
- 036380 FISH PLATE GALVANISED, MULTI FIT 8MM
- 006527 FISH PLATE MULTI FIT 8MM BLACK
- 036376 GREASE NIPPLE STRAIGHT
- 036374 NUT NYLOC UNF 5/8"
- 006530 NUT NYLOC UNF 1/2"
- 038809 NUT NYLOC M16 AL-KO
- 038135 NUT NYLOC M18 AL-KO
- 006531 NUT ZINC PLATE 1/2"



TANDEM LEAF SPRING 036309

LEAF SPRING 036309 710 8 LEAF

TANDEM 45 X 8 X



7 LEAF SPRING 040754

LEAF SPRING - EYE TO EYE SHACKLE (CAPACITY LISTED FOR 2 SPRINGS)

036299 - 45X8X710 3 LEAF 850KG 036300 - 45X8X710 4 LEAF 1100KG 036301 - 45X8X710 5 LEAF 1300KG 036302 - 45X8X710 6 LEAF 1500KG 040754 - 45X8X840 7 LEAF 1600KG



WINDSOR SHOCK ABSORBER 006654



AL-KO SHOCK ABSORBER KIT 036423



SPRING TO SUIT WINDSOR 036827

SHOCK ABSORBERS

006654 - WINDSOR SHOCK ABSORBER 4081-001 006655 - SHOCK ABSORBER PLATE SUIT WINDSOR 036423 - SHOCK ABSORBER KIT -AL-KO 036827 - COIL SPRING SUIT WINDSOR SHOCK ABSORBER



VEHICLE STEPS

CARAVAN STEPS

Make entry and exit to your caravan or camper easy and safe with the Camec range of steps. Manual or electric, in differing widths that suit all vehicle requirements.





006508	SINGLE
006509	DOUBLE
043707	MOTOR ONLY (LEFT
SIDE)	

The Tecno Step is fantastic addition to your caravan or motorhome! These single steps have an Aluminium tread and the frame is all galvanised steel construction. They have a 12V motor that extends and stores the step - it is operated by a switch that is usually placed just inside the doorway.

NOTE: Wiring Harness with switch is not included but can be purchased separately

The mounting brackets can be bolted (bolts not included) or welded to the Chassis and are 554mm from outside to outside. **FEATURES**:

- 560mm wideOperated by a switch
- Aluminium/steel construction



MOUNTING SILVER PAINTED

A two stage step where the bottom steps folds over the middle step, the combined steps slide under the caravan. Must be welded to the chassis

SPECIFICATIONS:

- Outside width is 525mm and 235mm high when folded with a depth of 305 for the frame
- Lower frame as shown in the photo is 610mm wide
- Each tread is 490mm x 190mm
- Clearance when opened 400mm
- Silver paint finish
- Weight: 14.5kg



STEP ALUMINIUM/STEEL MANUAL 560MM 006507

The Tecno Step has an aluminium tread and the frame is a fully galvanised steel construction.

FEATURES:

- 560mm wide manual step
- Aluminium/steel construction
- Spring loaded for easy operation

SPECIFICATIONS:

- Dimensions of step tread: 560mm x 210mm
- Weight: 5.5kgClearance required: 170mm deep when
- closed
- Closed step is 50mm proud of mounting flange and open step is 300mm proud of mounted flange
- Open step tread is 190mm below mounting flange



STEP, SILVER PAINTED, SINGLE TREAD 500MM X 165MM 006502

Single tread standard step.

- Single tread standard s
- SPECIFICATIONS:
- Side mounting frame 165mm deepFrame ends are 525mm apart (outside), each
- end frame is 295mm deep x 165mm high • Silver painted
- 500mm wide

128



STEP SINGLE TREAD 455MM X 170MM -MOUNT 500MM X 275MM PAINTED 006501

Single low profile steel step. Used under caravan recessed steps to provide an in-between step.

Specifications:

- Steel 505mm wide
- 180mm deep mounting frame
- Extends 65mm

SPARE PARTS

006510	ELECTRIC STEP MAIN SWITCH ONLY
006509	ELECTRIC STEP FOOT BOARD SUIT DOUBLE STEP 12V 560MM WIDE
040912	ELECTRIC STEP STANDARD HARNESS LOOM 1300MM LOOM SUIT SINGLE STEP
036780	ELECTRIC STEP SIDE MOULD GREY PLASTIC SUITS ELECTRIC STEPS
039820	STEP TENSION SPRINGS PAIR SUITS TECHNO STEPS
043707	MOTOR TO SUIT TECHNO STEPS LEFT SIDE



NOTES

CHASSIS
