

PLUMBING

Hoses and fillers.....	146
Tanks and accessories	149
Pumps.....	152
Plumbing fittings	157
Hot water heaters.....	162
Filtration.....	164
Sinks and basins.....	165
Tapware	168
Bathroom accessories	173
Bathroom modules.....	174
Gas compliance and safety.....	175
Gas fittings and adaptors.....	178
Gas cylinders and accessories.....	179
Gas regulators and hoses	186





CAMEC STAINLESS STEEL SINK 890MM X 480MM
042973

Includes waste, plug and mounting clips.

SPECIFICATIONS:

- Dimensions: 890mm(w) x 480mm(d) x 170mm(h)
- Dimensions of main sink: 315mm(w) x 380mm(d)
- Dimensions of secondary sink: 155mm(w) x 300mm(d)
- 90mm waste outlets



CAMEC STAINLESS STEEL ROUND BASIN 450MM
042974

Includes waste, plug and mounting clips.

SPECIFICATIONS:

- Dimensions: 450mm(diam.) x 180mm(d)



CAMEC STAINLESS STEEL SINK 780MM X 480MM
042976

Includes waste, plug and mounting clips.

SPECIFICATIONS:

- Dimensions: 780mm(w) x 480mm(d) x 170mm(h)
- Dimensions of main sink: 330mm(w) x 380mm(d)
- 90mm waste outlet



CAMEC STAINLESS STEEL SINK WITH DRAINER
038169

Top quality stainless steel basin and drainer.

FEATURES:

- Foam tape and 10 brackets included
- Does not include plug or waste

SPECIFICATIONS:

- Dimensions: 760mm(w) x 155mm(h) x 360mm(d)
- 45mm waste outlet



CAMEC STAINLESS STEEL SINK WITH DRAINER
006046

Top quality stainless steel basin and drainer.

FEATURES:

- Foam tape and 8 brackets included
- Does not include plug or waste

SPECIFICATIONS:

- Dimensions: 780mm(w) x 170mm(h) x 480mm(d)
- 45mm waste outlet



CAMEC STAINLESS STEEL ROUND BASIN AND DRAINER
042975

Includes waste, plug and mounting clips.

SPECIFICATIONS:

- Dimensions: 850mm(w) x 450mm (d)x 170mm
- Dimensions of sink: 357mm (diam.)
- 90mm waste outlet



CAMEC STAINLESS STEEL BASIN

038170 - 315MM X 265MM X 145MM(D)
038171 - 327MM X 278MM X 150MM(D)
038172 - 352MM X 282MM X 155MM(D)
FULL FLANGE

Top quality stainless steel basins available in a number of sizes.

FEATURES:

- Can be top or under mounted



SMEV SINK STAINLESS STEEL AND DRAINER

006032 - 590MM X 370MM X 125MM DEEP
006033 - 650MM X 380MM X 135MM DEEP

Compact stainless steel top fixing sink and drainer.

FEATURES:

- Includes plug and straight waste
- Includes perimeter seal and fitting clips (only with 006033)



STAINLESS STEEL BASIN

006051 - 282 X 225MM
006053 - 306MM X 306MM X 120MM
006050 - ROUND BASIN 280MM DIAM X 112MM(D)
044405 - 370MM X 320MM X 150MM

Top quality stainless steel basin available in a number of sizes.

FEATURES:

- The full extent of stainless steel is an extra 15mm on all sides
- Does not include plug and waste (25mm) - refer to code 006064, plug, code 006072, straight waste or code 006073 for 90° angle waste

SINKS AND BASINS



SMEV BASIN STAINLESS STEEL

- 006059 380MM X 280MM
- 006057 370MM X 370MM
- 006058 380MM X 380MM

Attractive compact stainless steel top fixing sink.

FEATURES:

- Includes plug and straight waste



SMEV BASIN/LID/MIXER TAP

006063

FEATURES:

- Stainless steel bowl
- Glass lid
- Hot and cold tap (refer code 005983)

SPECIFICATIONS:

- Dimensions: 420mm(l) x 145mm(h) x 440mm(d)
- Tap fittings are 3/8" Male BSP



BASIN STAINLESS STEEL

006052

Attractive compact stainless steel sink.

SPECIFICATIONS:

- Dimensions: 335mm x 254mm (14" x 10")



ACRYLIC CORNER BASIN

043617

Acrylic corner basin/sink.

SPECIFICATIONS:

- Dimensions: 279mm(l) x 120mm(h) x 279mm(d)
- Inside Sink Dimensions: 280mm(l) x 210mm(w)
- Plug not included
- Waste Hole: 42mm (diam)
- Use with pop-up waste 043373
- White



ACRYLIC NARROW RECTANGLE BASIN

043618

Acrylic, light and sturdy rectangular basin/sink.

FEATURES:

- Sits into a cutout in a bench top or can be attached to wall
- Includes soap drainer
- Space for single tap on either side

SPECIFICATIONS:

- Dimensions: 508mm(w) x 130mm(h) x 178mm(d)
- Plug not included
- Waste Hole: 42mm (diam)
- Use with pop-up waste 043373
- White



ACRYLIC RECTANGLE BASIN/SINK

043616

Note: The top surface that normally sits above the bench top on these basins is not as smooth as the inner surface of sink/basin - it is not a fault but a function of the manufacturing process.

SPECIFICATIONS:

- White
- Use with pop-up waste 043373
- Plug not included
- Dimensions: 330mm(l) x 120mm(h) x 285mm(d)
- Inside Sink Dimensions: 300mm(l) x 120mm(h) x 250mm(d)



PLASTIC SINK AND DRAINER

006042

Acrylic sink and drainer. Does not include taps or waste.

SPECIFICATIONS:

- Dimensions: 706mm(l) x 318mm(w) x 115mm(d)
- Inside Sink Dimensions: 350mm(l) x 285mm(w) x 115mm(d)
- Acrylic is 4.5mm thick giving a stable sink and drainer when fully recessed and mounted just with the edging
- White



PLASTIC OVAL BASIN

043926

- Dimensions: 380mm(w) x 305mm(d) x 150mm(h)
- Use with pop-up waste 043373
- White



MINI CORNER BASIN WITH FULL SKIRT

044832 - BASIN

042871 - WASTE KIT FOR 45MM SINK HOLE 90°

FEATURES:

- Useful in shower/toilet combination rooms for space-saving corner design. Neatly hides plumbing behind the skirt
- Does not include mounting screws or a waste outlet



POP-UP WASTE KIT
043373

- Lightweight construction making it perfect for plastic / fibreglass and ceramic sinks
- Stylish with only the chrome top visible
- Easy operation
- Suits basin holes from 40 – 45mm
- Simple installation with a screw collet under the sink
- Long stem can be cut to required length



PLUG AND WASTE KIT - 90°
006068

To suit SMEV sinks/basins. Includes 25mm P-Trap.



PLUG ONLY FOR SINK/BASIN
006067

To suit SMEV sinks/basins only.

SPECIFICATIONS:

- Dimensions: top taper 36.75mm bottom taper 35.26mm



SMEV PLUG AND WASTE KIT - STRAIGHT 25MM
006065

To suit SMEV sinks/basins.



WASTE KIT FOR 45MM SINK HOLE
042871

043184 - REPLACEMENT PLUG
90° outlet with plug.



RUBBER SINK PLUGS

006064 - 25MM RED
035578 - 32MM RED
006075 - 25MM (1 1/8") GREY

To suit sinks/basins.



PLASTIC WASTE 25MM OUTLET STANDARD
006072

Straight waste suitable for 25mm hose.

FEATURES:

- Plug sold separately
- Straight waste



PLASTIC 90° WASTE OUTLET 25MM
006073



SINK RUBBER SEAL 520
006035

Rubber edge seal 520 suits SMEV sink/basins.

SPECIFICATIONS:

- Sold per metre



SINK RUBBER SEAL 521
006036

Rubber edge seal 521 suits SMEV sink/basins.

SPECIFICATIONS:

- Sold per metre



CAMEC HAND PUMP
043156

Robust chrome plated brass hand pump for drinking water.

FEATURES:

- Self priming, dual action
- Easy installation

SPECIFICATIONS:

- Height Above Bench: 65mm
- Suits 1/2" tubing
- Chrome plated



BREHA HAND PUMP

- 005542 - BLACK
- 005543 - WHITE
- 005554 - TOP PLUNGER SEAL
- 005555 - BOTTOM PLUNGER SEAL (BS101) BLACK
- 035599 - WASHER KIT (BS100 AND BS101)

Self priming and simple to install.

SPECIFICATIONS:

- Fits a sink with a 32mm mounting hole



BREHA HAND PUMP SHORT STEM

005546

Self priming and simple to install.

SPECIFICATIONS:

- Fits a sink with a 32mm mounting hole
- White



LOW BOY 3 WAY PUMP FAUCET

- 005578 FAUCET
- 005579 REPAIR KIT

Combination hand pump, mains pressure and 12V electric pump.

FEATURES:

- Low silhouette suitable for fold down campers
- Mains pressure and 12V electric pump



HAND PUMP FYNspray

- 005549 HAND PUMP
- WS63

Black moulded nylon body with chrome plated brass handle and swiveling spout. Suitable for fresh or salt water.

SPECIFICATIONS:

- Output: 1L/per 15 strokes



CAMEC BASIN 110MM FIXED SPOUT

- 041716
- 042792 - 40MM REPLACEMENT CARTRIDGE

Basin mixer with 110mm fixed spout with a 40mm cartridge.

FEATURES:

- WELS rated complies Australian/NZ standard AS/NZS 6400
- Stainless steel braided hoses 350mm length and 1/2" female BSP threads
- 40mm cartridge



CAMEC 3 WAY SINK MIXER 35MM CARTRIDGE WELS RATED

- 041677
- 042791 - 35MM REPLACEMENT CARTRIDGE

3 way sink mixer incorporates two taps in one - a sink mixer and a filtration faucet. This dual stream has two outlets in the spout and eliminates the need to mount a second faucet for filtered water. Please Note: The tap does not filter water, a separate filtration kit is required.

FEATURES:

- WELS rated, complies Australian/NZ standard AS/NZS 6400
- Stainless steel braided hoses 350mm length and 1/2" female BSP threads



CAMEC HIGH BASIN MIXER

- 041676
- 042791 - 35MM REPLACEMENT CARTRIDGE

FEATURES:

- WELS rated, complies Australian/NZ standard AS/NZS 6400
- Stainless steel braided hoses 350mm length and 1/2" female BSP threads
- 35mm cartridge



CAMEC BASIN MIXER 150MM SPOUT
041674
042792- 40MM REPLACEMENT
CARTRIDGE

Basin mixer with 150mm spout with a 40mm cartridge.

FEATURES:

- WELS rated complies Australian/NZ standard AS/NZS 6400
- Stainless steel braided hoses 350mm length and 1/2" female BSP threads
- 40mm cartridge



CAMEC SINK MIXER 220MM SPOUT
041675
042792- 40MM REPLACEMENT
CARTRIDGE

Sink mixer with 220mm spout with a 40mm cartridge.

FEATURES:

- WELS rated complies Australian/NZ standard AS/NZS 6400
- Stainless steel braided hoses 350mm length and 1/2" female BSP threads
- 40mm cartridge



SINGLE COLD TAP
005995

Low profile fixed pillar tap.

FEATURES:

- Chrome on metal finish



SINGLE DECK WASHDOWN TAP
005996

Single tap with threaded outlet, suit washing machine or where a hose is to be connected.

FEATURES:

- Chrome on metal finish



HOT AND COLD BASIN MIXER
005993

This faucet features hot and cold mixer taps, complete with high rise 200mm swivel spout to allow easy filling of jugs and kettles.

FEATURES:

- Chrome on metal finish.
- Model: MG3100



SINGLE FOLDING FAUCET
005990

Single folding faucet - when folded body is 39mm high.

FEATURES:

- Chrome finish



SINGLE FAUCET - LEFT HAND LESS UNION

005904 LEFT HAND
005895 - RIGHT HAND

Requires barb to take 12mm hose.



HOT AND COLD BASIN MIXING FAUCET
005910

Hot and cold mixer set with 90mm centre basin mixing faucet.

SPECIFICATIONS:

- Requires barb to take 12mm hose.
- Chrome



WHALE TUCKAWAY FAUCET ON/OFF SWITCH

005939 - STANDARD
005938 - WITH ON/OFF SWITCH

This faucet fits onto the vertical side of the sink bowl and folds down neatly for storage within the sink. Simply drill a hole into the side of the sink and pass through the thread with rubber seal from the front.

- Rear screws on, providing a two stage hose barb to suit 3/8" or 1/2" hose

TAPWARE



ELECTRIC 12V ROTATING FAUCET
005958

Plastic rotating faucet with built in 12V switch designed for use with a water pump or pressure reducing city water entry.

FEATURES:

- Folds down and is ideal for slide out camper trailer kitchens
- White



BARWIG SINGLE FAUCET AND SWITCH
005953 - 052 FAUCET AND SWITCH
005954 - 0552 FAUCET NO SWITCH

SPECIFICATIONS:

- Maximum Inlet Pressure: 35psi



WHALE TELESCOPIC FAUCET
005937

Mainly used with foot pumps, the telescopic outlet swivels through 360 degrees and can be pushed down when not in use.

FEATURES:

- Great space saver



SHOWER SET - WHITE
043604

Includes shower head, adjustable pole, soap holder and mixer taps.



TRIGGER SHOWER SET
005857

This trigger shower set has a heavy duty chrome finish. On/off trigger incorporated in handle. Wall bracket to suit (refer code 005872).

- White



TRIGGER SHOWER SET
043267

On/off trigger incorporated in handle. Chrome hose 1.5m.

- White/chrome



SHOWER WITH ADJUSTABLE FLOW RATE/HOSE ELBOW
005869

This elbow shower set comes complete with adjustable flow rate nozzle. Heavy duty construction.

FEATURES:

- Heavy duty chrome finish
- Includes adjustable flow rate nozzle
- Wall bracket to suit - refer code 005872

SPECIFICATIONS:

- Hose: 1.5m length
- Chrome



CAMEC SHOWER WALL MIXER
041678

Shower wall mixer 40mm cartridge.

FEATURES:

- WELS rated complies Australian/NZ standard AS/NZS 6400
- 405mm cartridge



SHOWER SET WITH SLIDING BAR
005882

Includes double lock flexible hose and soap holder.

SPECIFICATIONS:

- Sliding Bar - 690mm length
- Brass double lock
- Flexible hose



RECESS EXTERNAL WALL SHOWER

- 005810 SHOWER KIT WHITE
- 042898 SHOWER KIT BLACK
- 005833 HANDHELD SHOWER ROSE AND BRACKET WHITE
- 005832 REPLACEMENT HOSE WHITE
- 044458 RECESSED WALL SHOWER KEY

Suitable for external recessed wall types, annexes, shower tents, etc. with keyed lock security.

FEATURES:

- Fade and impact resistant, UV stabilised and can be painted
- Unit screws into the cut-out from the outside face - screws are covered when door is closed
- Hot and cold pipes connect at the rear to 1/2" BSP male water pipe fitting. Same goes for the shower rose connections
- On/off switch on shower rose
- Shower rose can be either hand held or bracketed to door

SPECIFICATIONS:

- Cut-Out Size: 155mm x 280mm (w)
- Can be installed either horizontally or vertically
- Extends outside just 12-15mm
- 120mm from mounting inside to end of threads



LOCKABLE BUDGET EXTERNAL SHOWER BOXES

- 043191 WHITE
- 043192 BLACK

FEATURES:

- Neat appearance in black or white to match your RV design
- Lock for security
- UV stabilised plastics designed for outdoor installation
- Requires cavity behind the box for hose to push back into
- On/off button on the hand sprayer
- Hook on the inside of the door to hang the hand sprayer
- Connections and taps for hot and cold water hook up



SHOWER MIXER ONLY SOLID HANDLE

- 005862
- Chrome



SHOWER BOX WITH HOT COLD MIXER PULL OUT PUSH BUTTON

- 005822

A compact shower with a long hose.

SPECIFICATIONS:

- Dimensions: 180mm(l) x 130mm(h) x 325mm(d)
- 4m hose
- White



HOT AND COLD SHOWER MIXER ONLY - CHROME WITH CRYSTAL HANDLES


- 005861
- To suit hand held showers.
- Chrome
- 3/8 MBSP connections.



SHOWER HOSE 1.5M

- 005870
- Hose to suit elbow shower set (refer code 005869).

TAPWARE



AURORA HAND SHOWER - WATERMARKED

044188

- Chrome
- 25 year warranty



BERMUDA HAND SHOWER - WATERMARKED

044191

- 25 year warranty



METAL FOLDING HOT/COLD WATER MIXER TAP SUIT CRAMER

043526

FEATURES:

- Solid chrome on brass construction
- Hot/Cold mixer
- Fold down tap
- Low profile to suit the Dometic/Cramer sinks with fold down lid
- Supplied with flexible hoses. Hose input is 1/2 inch male BSP thread

SPECIFICATIONS:

- Suits 40mm hole cut out
- Minimum height required above mounting base = 25mm
- 160mm spout from pivot point to end of spout
- 45mm in height from bench/sink top.
- Female 1/2 inch BSP thread on Hot & Cold connectors



WALL BRACKET

005872

Bracket to suit trigger and elbow shower set.

- Ch



CARTRIDGE 330/804 MIXER - COURSE

005829

Replacement cartridge valve to suit hot and cold mixer (refer code 005824).



THROUGH BULKHEAD ELBOW CONNECTOR

005874

This fitting is used to connect hand shower sets where installation is required through wall fixing.

FEATURES:

- Heavy duty chrome finish
- This elbow fits the CAMEC shower and trigger shower hose
- 3/8" BSP through wall and outlet suits chrome flexible shower hose, which is also 3/8" BSP
- Chrome



CARTRIDGE KIT FOR CATALINA EXTERNAL SHOWER

043444

Includes 2 cartridges, springs and washers.



BRASS MAINS PRESS A-FRAME TAP

005975



SOAP DISPENSERS

042872

SINGLE

042873

DOUBLE

400ml dispenser available as an individual unit or double bracket. Backing plate is fixed to the wall with screws (provided) or silicone, etc. and dispensers are removable. For hand soap, dish washing liquid, shampoo and body wash. Use in the caravan bathroom or kitchen. If the button is held in, soap will continue to flow until it is released. Colour is white with clear panels so that you can see when to re-fill.



BATHROOM ACCESSORY SETS

002109

FEATURES:

Set of 6. Includes: soap dish holder, toilet roll holder, towel rail, towel ring, glass tumbler and holder.

- Chrome



BRASS UNION 1/2" BSP X 3/8" FEMALE WITH WASHER

005951

Water adaptor, female 3/8" BSP to 12.5mm barb. Clamp your 12mm hose to one end the other end screws onto a male 3/8" BSP thread.

SUPER SUCTION

- 039885 - TOILET ROLL HOLDER CHROME
- 039887 - STORAGE HOOK CHROME
- 039888 - HOOK 3KG WHITE
- 039889 - TOWEL RING CHROME
- 039890 - SOAP DISH CHROME
- 039891 - 3 IN ONE BASKET CHROME

Instantly transform a room with an affordable premium suction product. Ideal for homes, motorhomes, caravans and offices.

FEATURES:

- Super suction
- One step installation
- Removable
- Press button action
- Chrome painted ABS plastic

SPECIFICATIONS:

- Weight Load: 3kg



BATHROOM MODULES



CLASSIC CABINET

002120

White cabinet section only constructed from ABS plastic. Strong, durable and easy to clean. Compatible width with Thetford 400 series toilet.

SPECIFICATIONS:


- Dimensions: 668mm(l) x 555mm(w) x 500mm(d)
- White



CLEO BASIN TIP UP

040835

An ideal vanity sink unit for caravan, boat and motorhome bathrooms with limited free space. The Cleo tip up sink/folding vanity basin features an integrated soap and toothbrush holder and a simple lift out basin.




SHOWER TRAY DELUXE

035579

Deluxe shower tray with a non-slip base.

SPECIFICATIONS:

- Dimensions: 1010mm(l) x 75mm(h) x 683mm(d)
- Weight: 2.2kg
- Waste: 50mm



CLASSIC BASIN FOLD UP

033523

Space saving fold-away, self draining basin constructed from ABS plastic. Strong, durable, easy to clean. Compatible with Thetford cassette toilet.

SPECIFICATIONS:

- Dimensions: 810mm(l) x 668mm(h) x 500mm(d)
- To suit 400 Series cassette
- Basin section only



CLEO BATHROOM CABINET WITH SLIDING MIRROR

040836

044104

MIRRORS AND

BUTTON

Featuring twin mirror sliding doors complete with a travel lock to ensure the cabinet remains secure whilst on the road. The Cleo vanity cabinet comes with retaining bars as well as a handy accessories shelf.



ABS ACRYLIC SHOWER TRAY

002165


Acrylic shower tray. Slightly raised section at one end where a portable toilet can sit.

FEATURES:

- Prior to fitting, it is essential to pack up the raised section, from underneath, to prevent damage during use
- Drill floor waste at any location
- Plug outlet and waste not included

SPECIFICATIONS:

- Dimensions: 965mm(l) x 585mm(w) x 125mm(d)
- Weight: 1.7kg
- White



VT90 SHOWER TRAY

002166

High gloss, ABS, shower tray.

SPECIFICATIONS:

- Dimensions: 830mm(l) x 670mm(h) x 55mm(d)
- White